

# Declaration of performance

No. DoP-ISG 3370-r01

1. Unique identification code of the product-type:

Product name: Termolux

2. Type, batch or serial number or any other element allowing identification of the construction product as required pursuant to Article 11(4):

Batch number: see packaging of the product

3. Intended use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer: In heating systems in buildings

4. Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant to Article 11(5):

Caradon Polska sp.z o.o.  
ul. Zakliki z Mydlnik 16 30- 198 Krakow /Poland

[info@caradon.pl](mailto:info@caradon.pl)

5. Where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12(2):

Not applicable

6. System or systems of assessment and verification of constancy of performance of the construction product as set out in Annex V:

System 3

7. In case of the declaration of performance concerning a construction product covered by a harmonised standard:

Institut für GebäudeEnergetik, Universität Stuttgart  
Pfaffenwaldring 35  
70569 Stuttgart, Deutschland  
Identification number: 0626

performed the assessment and evaluation of the product under system 3 by determination of the product-type on the basis of type testing and issued the corresponding test reports.

8. In case of the declaration of performance concerning a construction product for which a European Technical Assessment has been issued:  
Not applicable

9. Declared performance:

# Declaration of performance

No. DoP-ISG 3370-r01

Characteristic	Performance	Harmonized technical specification
Reaction to fire	A1	EN 442-1:2015
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.3 x maximum operating pressure. Max. operating pressure: 1000 kPa	
Surface temperature	Maximum 110 °C	
Resistance to pressure	No failure at 1.69 x maximum operating pressure (kPa)	
Rated thermal outputs	See Annex 1	
Thermal output in different operating conditions ( <i>characteristic curve</i> )	$\Phi = (K_M \times \Delta T^n) \times L/1000$ ( $K_M$ , $n$ and $L$ : see Annex 1)	
Durability as:		
Resistance against corrosion	No corrosion after 100h humidity	
Resistance against minor impact	Class 0	

Termo lux						
T	H (mm)	L (mm)	Heat output dT30 (W)	Heat output dT50 (W)	n	$K_M$
10	300	400	68	134	1,3095	1,9904
10	300	500	86	167	1,3095	1,9904
10	300	600	103	200	1,3095	1,9904
10	300	700	120	234	1,3095	1,9904
10	300	800	137	267	1,3095	1,9904
10	300	900	154	301	1,3095	1,9904
10	300	1000	171	334	1,3095	1,9904
10	300	1100	188	367	1,3095	1,9904
10	300	1200	205	401	1,3095	1,9904
10	300	1300	222	434	1,3095	1,9904
10	300	1400	240	468	1,3095	1,9904
10	300	1500	257	501	1,3095	1,9904
10	300	1600	274	534	1,3095	1,9904
10	300	1700	291	568	1,3095	1,9904
10	300	1800	308	601	1,3095	1,9904
10	300	1900	325	635	1,3095	1,9904
10	300	2000	342	668	1,3095	1,9904

# Declaration of performance

No. DoP-ISG 3370-r01

10	300	2100	359	701	1,3095	1,9904
10	300	2200	376	735	1,3095	1,9904
10	300	2300	394	768	1,3095	1,9904
10	300	2400	411	802	1,3095	1,9904
10	300	2500	428	835	1,3095	1,9904
10	300	2600	445	868	1,3095	1,9904
10	300	2700	462	902	1,3095	1,9904
10	300	2800	479	935	1,3095	1,9904
10	300	2900	496	969	1,3095	1,9904
10	300	3000	513	1002	1,3095	1,9904
10	400	400	86	168	1,3095	2,5089
10	400	500	108	211	1,3095	2,5089
10	400	600	129	253	1,3095	2,5089
10	400	700	151	295	1,3095	2,5089
10	400	800	173	337	1,3095	2,5089
10	400	900	194	379	1,3095	2,5089
10	400	1000	216	421	1,3095	2,5089
10	400	1100	237	463	1,3095	2,5089
10	400	1200	259	505	1,3095	2,5089
10	400	1300	280	547	1,3095	2,5089
10	400	1400	302	589	1,3095	2,5089
10	400	1500	323	632	1,3095	2,5089
10	400	1600	345	674	1,3095	2,5089
10	400	1700	367	716	1,3095	2,5089
10	400	1800	388	758	1,3095	2,5089
10	400	1900	410	800	1,3095	2,5089
10	400	2000	431	842	1,3095	2,5089
10	400	2100	453	884	1,3095	2,5089
10	400	2200	474	926	1,3095	2,5089
10	400	2300	496	968	1,3095	2,5089
10	400	2400	518	1010	1,3095	2,5089
10	400	2500	539	1053	1,3095	2,5089
10	400	2600	561	1095	1,3095	2,5089
10	400	2700	582	1137	1,3095	2,5089
10	400	2800	604	1179	1,3095	2,5089
10	400	2900	625	1221	1,3095	2,5089
10	400	3000	647	1263	1,3095	2,5089
10	500	400	103	202	1,3203	2,8850
10	500	500	129	253	1,3203	2,8850
10	500	600	154	303	1,3203	2,8850
10	500	700	180	354	1,3203	2,8850
10	500	800	206	404	1,3203	2,8850
10	500	900	232	455	1,3203	2,8850
10	500	1000	257	505	1,3203	2,8850
10	500	1100	283	556	1,3203	2,8850
10	500	1200	309	606	1,3203	2,8850
10	500	1300	334	657	1,3203	2,8850
10	500	1400	360	707	1,3203	2,8850
10	500	1500	386	758	1,3203	2,8850

# Declaration of performance

No. DoP-ISG 3370-r01

10	500	1600	412	808	1,3203	2,8850
10	500	1700	437	859	1,3203	2,8850
10	500	1800	463	909	1,3203	2,8850
10	500	1900	489	960	1,3203	2,8850
10	500	2000	515	1010	1,3203	2,8850
10	500	2100	540	1061	1,3203	2,8850
10	500	2200	566	1111	1,3203	2,8850
10	500	2300	592	1162	1,3203	2,8850
10	500	2400	617	1212	1,3203	2,8850
10	500	2500	643	1263	1,3203	2,8850
10	500	2600	669	1313	1,3203	2,8850
10	500	2700	695	1364	1,3203	2,8850
10	500	2800	720	1414	1,3203	2,8850
10	500	2900	746	1465	1,3203	2,8850
10	500	3000	772	1515	1,3203	2,8850
10	600	400	120	235	1,3203	3,3534
10	600	500	150	294	1,3203	3,3534
10	600	600	179	352	1,3203	3,3534
10	600	700	209	411	1,3203	3,3534
10	600	800	239	470	1,3203	3,3534
10	600	900	269	528	1,3203	3,3534
10	600	1000	299	587	1,3203	3,3534
10	600	1100	329	646	1,3203	3,3534
10	600	1200	359	704	1,3203	3,3534
10	600	1300	389	763	1,3203	3,3534
10	600	1400	419	822	1,3203	3,3534
10	600	1500	449	881	1,3203	3,3534
10	600	1600	478	939	1,3203	3,3534
10	600	1700	508	998	1,3203	3,3534
10	600	1800	538	1057	1,3203	3,3534
10	600	1900	568	1115	1,3203	3,3534
10	600	2000	598	1174	1,3203	3,3534
10	600	2100	628	1233	1,3203	3,3534
10	600	2200	658	1291	1,3203	3,3534
10	600	2300	688	1350	1,3203	3,3534
10	600	2400	718	1409	1,3203	3,3534
10	600	2500	748	1468	1,3203	3,3534
10	600	2600	778	1526	1,3203	3,3534
10	600	2700	807	1585	1,3203	3,3534
10	600	2800	837	1644	1,3203	3,3534
10	600	2900	867	1702	1,3203	3,3534
10	600	3000	897	1761	1,3203	3,3534
10	700	400	135	267	1,3308	3,6626
10	700	500	169	334	1,3308	3,6626
10	700	600	203	401	1,3308	3,6626
10	700	700	237	468	1,3308	3,6626
10	700	800	271	534	1,3308	3,6626
10	700	900	305	601	1,3308	3,6626
10	700	1000	338	668	1,3308	3,6626

# Declaration of performance

No. DoP-ISG 3370-r01

10	700	1100	372	735	1,3308	3,6626
10	700	1200	406	802	1,3308	3,6626
10	700	1300	440	868	1,3308	3,6626
10	700	1400	474	935	1,3308	3,6626
10	700	1500	508	1002	1,3308	3,6626
10	700	1600	542	1069	1,3308	3,6626
10	700	1700	575	1136	1,3308	3,6626
10	700	1800	609	1202	1,3308	3,6626
10	700	1900	643	1269	1,3308	3,6626
10	700	2000	677	1336	1,3308	3,6626
10	700	2100	711	1403	1,3308	3,6626
10	700	2200	745	1470	1,3308	3,6626
10	700	2300	779	1536	1,3308	3,6626
10	700	2400	812	1603	1,3308	3,6626
10	700	2500	846	1670	1,3308	3,6626
10	700	2600	880	1737	1,3308	3,6626
10	700	2700	914	1804	1,3308	3,6626
10	700	2800	948	1870	1,3308	3,6626
10	700	2900	982	1937	1,3308	3,6626
10	700	3000	1015	2004	1,3308	3,6626
10	900	400	168	331	1,3308	4,5398
10	900	500	210	414	1,3308	4,5398
10	900	600	252	497	1,3308	4,5398
10	900	700	294	580	1,3308	4,5398
10	900	800	336	662	1,3308	4,5398
10	900	900	378	745	1,3308	4,5398
10	900	1000	420	828	1,3308	4,5398
10	900	1100	462	911	1,3308	4,5398
10	900	1200	503	994	1,3308	4,5398
10	900	1300	545	1076	1,3308	4,5398
10	900	1400	587	1159	1,3308	4,5398
10	900	1500	629	1242	1,3308	4,5398
10	900	1600	671	1325	1,3308	4,5398
10	900	1700	713	1408	1,3308	4,5398
10	900	1800	755	1490	1,3308	4,5398
10	900	1900	797	1573	1,3308	4,5398
10	900	2000	839	1656	1,3308	4,5398
10	900	2100	881	1739	1,3308	4,5398
10	900	2200	923	1822	1,3308	4,5398
10	900	2300	965	1904	1,3308	4,5398
10	900	2400	1007	1987	1,3308	4,5398
10	900	2500	1049	2070	1,3308	4,5398
10	900	2600	1091	2153	1,3308	4,5398
10	900	2700	1133	2236	1,3308	4,5398
10	900	2800	1175	2318	1,3308	4,5398
10	900	2900	1217	2401	1,3308	4,5398
10	900	3000	1259	2484	1,3308	4,5398
11	200	400	74	143	1,2913	2,2909
11	200	500	93	179	1,2913	2,2909

# Declaration of performance

No. DoP-ISG 3370-r01

11	200	600	111	215	1,2913	2,2909
11	200	700	130	251	1,2913	2,2909
11	200	800	148	286	1,2913	2,2909
11	200	900	167	322	1,2913	2,2909
11	200	1000	185	358	1,2913	2,2909
11	200	1100	204	394	1,2913	2,2909
11	200	1200	222	430	1,2913	2,2909
11	200	1300	241	465	1,2913	2,2909
11	200	1400	259	501	1,2913	2,2909
11	200	1500	278	537	1,2913	2,2909
11	200	1600	296	573	1,2913	2,2909
11	200	1700	315	609	1,2913	2,2909
11	200	1800	333	644	1,2913	2,2909
11	200	1900	352	680	1,2913	2,2909
11	200	2000	370	716	1,2913	2,2909
11	200	2100	389	752	1,2913	2,2909
11	200	2200	407	788	1,2913	2,2909
11	200	2300	426	823	1,2913	2,2909
11	200	2400	444	859	1,2913	2,2909
11	200	2500	463	895	1,2913	2,2909
11	200	2600	481	931	1,2913	2,2909
11	200	2700	500	967	1,2913	2,2909
11	200	2800	518	1002	1,2913	2,2909
11	200	2900	537	1038	1,2913	2,2909
11	200	3000	555	1074	1,2913	2,2909
11	300	400	111	214	1,2848	3,5183
11	300	500	139	268	1,2848	3,5183
11	300	600	167	322	1,2848	3,5183
11	300	700	195	375	1,2848	3,5183
11	300	800	222	429	1,2848	3,5183
11	300	900	250	482	1,2848	3,5183
11	300	1000	278	536	1,2848	3,5183
11	300	1100	306	590	1,2848	3,5183
11	300	1200	334	643	1,2848	3,5183
11	300	1300	361	697	1,2848	3,5183
11	300	1400	389	750	1,2848	3,5183
11	300	1500	417	804	1,2848	3,5183
11	300	1600	445	858	1,2848	3,5183
11	300	1700	473	911	1,2848	3,5183
11	300	1800	501	965	1,2848	3,5183
11	300	1900	528	1018	1,2848	3,5183
11	300	2000	556	1072	1,2848	3,5183
11	300	2100	584	1126	1,2848	3,5183
11	300	2200	612	1179	1,2848	3,5183
11	300	2300	640	1233	1,2848	3,5183
11	300	2400	667	1286	1,2848	3,5183
11	300	2500	695	1340	1,2848	3,5183
11	300	2600	723	1394	1,2848	3,5183
11	300	2700	751	1447	1,2848	3,5183

# Declaration of performance

No. DoP-ISG 3370-r01

11	300	2800	779	1501	1,2848	3,5183
11	300	2900	806	1554	1,2848	3,5183
11	300	3000	834	1608	1,2848	3,5183
11	400	400	146	282	1,2883	4,5646
11	400	500	183	353	1,2883	4,5646
11	400	600	219	423	1,2883	4,5646
11	400	700	256	494	1,2883	4,5646
11	400	800	292	564	1,2883	4,5646
11	400	900	329	635	1,2883	4,5646
11	400	1000	365	705	1,2883	4,5646
11	400	1100	402	776	1,2883	4,5646
11	400	1200	438	846	1,2883	4,5646
11	400	1300	475	917	1,2883	4,5646
11	400	1400	511	987	1,2883	4,5646
11	400	1500	548	1058	1,2883	4,5646
11	400	1600	584	1128	1,2883	4,5646
11	400	1700	621	1199	1,2883	4,5646
11	400	1800	657	1269	1,2883	4,5646
11	400	1900	694	1340	1,2883	4,5646
11	400	2000	730	1410	1,2883	4,5646
11	400	2100	767	1481	1,2883	4,5646
11	400	2200	803	1551	1,2883	4,5646
11	400	2300	840	1622	1,2883	4,5646
11	400	2400	876	1692	1,2883	4,5646
11	400	2500	913	1763	1,2883	4,5646
11	400	2600	949	1833	1,2883	4,5646
11	400	2700	986	1904	1,2883	4,5646
11	400	2800	1022	1974	1,2883	4,5646
11	400	2900	1059	2045	1,2883	4,5646
11	400	3000	1095	2115	1,2883	4,5646
11	450	400	163	314	1,2901	5,0534
11	450	500	203	393	1,2901	5,0534
11	450	600	244	472	1,2901	5,0534
11	450	700	285	550	1,2901	5,0534
11	450	800	325	629	1,2901	5,0534
11	450	900	366	707	1,2901	5,0534
11	450	1000	407	786	1,2901	5,0534
11	450	1100	447	865	1,2901	5,0534
11	450	1200	488	943	1,2901	5,0534
11	450	1300	529	1022	1,2901	5,0534
11	450	1400	569	1100	1,2901	5,0534
11	450	1500	610	1179	1,2901	5,0534
11	450	1600	651	1258	1,2901	5,0534
11	450	1700	691	1336	1,2901	5,0534
11	450	1800	732	1415	1,2901	5,0534
11	450	1900	773	1493	1,2901	5,0534
11	450	2000	813	1572	1,2901	5,0534
11	450	2100	854	1651	1,2901	5,0534
11	450	2200	895	1729	1,2901	5,0534

# Declaration of performance

No. DoP-ISG 3370-r01

11	450	2300	935	1808	1,2901	5,0534
11	450	2400	976	1886	1,2901	5,0534
11	450	2500	1017	1965	1,2901	5,0534
11	450	2600	1057	2044	1,2901	5,0534
11	450	2700	1098	2122	1,2901	5,0534
11	450	2800	1139	2201	1,2901	5,0534
11	450	2900	1179	2279	1,2901	5,0534
11	450	3000	1220	2358	1,2901	5,0534
11	500	400	179	346	1,2919	5,5159
11	500	500	223	432	1,2919	5,5159
11	500	600	268	518	1,2919	5,5159
11	500	700	313	605	1,2919	5,5159
11	500	800	357	691	1,2919	5,5159
11	500	900	402	778	1,2919	5,5159
11	500	1000	447	864	1,2919	5,5159
11	500	1100	491	950	1,2919	5,5159
11	500	1200	536	1037	1,2919	5,5159
11	500	1300	581	1123	1,2919	5,5159
11	500	1400	625	1210	1,2919	5,5159
11	500	1500	670	1296	1,2919	5,5159
11	500	1600	715	1382	1,2919	5,5159
11	500	1700	759	1469	1,2919	5,5159
11	500	1800	804	1555	1,2919	5,5159
11	500	1900	849	1642	1,2919	5,5159
11	500	2000	893	1728	1,2919	5,5159
11	500	2100	938	1814	1,2919	5,5159
11	500	2200	982	1901	1,2919	5,5159
11	500	2300	1027	1987	1,2919	5,5159
11	500	2400	1072	2074	1,2919	5,5159
11	500	2500	1116	2160	1,2919	5,5159
11	500	2600	1161	2246	1,2919	5,5159
11	500	2700	1206	2333	1,2919	5,5159
11	500	2800	1250	2419	1,2919	5,5159
11	500	2900	1295	2506	1,2919	5,5159
11	500	3000	1340	2592	1,2919	5,5159
11	550	400	194	376	1,2936	5,9613
11	550	500	243	470	1,2936	5,9613
11	550	600	291	564	1,2936	5,9613
11	550	700	340	658	1,2936	5,9613
11	550	800	388	752	1,2936	5,9613
11	550	900	437	846	1,2936	5,9613
11	550	1000	485	940	1,2936	5,9613
11	550	1100	534	1034	1,2936	5,9613
11	550	1200	583	1128	1,2936	5,9613
11	550	1300	631	1222	1,2936	5,9613
11	550	1400	680	1316	1,2936	5,9613
11	550	1500	728	1410	1,2936	5,9613
11	550	1600	777	1504	1,2936	5,9613
11	550	1700	825	1598	1,2936	5,9613



# Declaration of performance

No. DoP-ISG 3370-r01

11	550	1800	874	1692	1,2936	5,9613
11	550	1900	922	1786	1,2936	5,9613
11	550	2000	971	1880	1,2936	5,9613
11	550	2100	1019	1974	1,2936	5,9613
11	550	2200	1068	2068	1,2936	5,9613
11	550	2300	1117	2162	1,2936	5,9613
11	550	2400	1165	2256	1,2936	5,9613
11	550	2500	1214	2350	1,2936	5,9613
11	550	2600	1262	2444	1,2936	5,9613
11	550	2700	1311	2538	1,2936	5,9613
11	550	2800	1359	2632	1,2936	5,9613
11	550	2900	1408	2726	1,2936	5,9613
11	550	3000	1456	2820	1,2936	5,9613
11	600	400	209	406	1,2954	6,3855
11	600	500	262	507	1,2954	6,3855
11	600	600	314	608	1,2954	6,3855
11	600	700	366	710	1,2954	6,3855
11	600	800	419	811	1,2954	6,3855
11	600	900	471	913	1,2954	6,3855
11	600	1000	523	1014	1,2954	6,3855
11	600	1100	576	1115	1,2954	6,3855
11	600	1200	628	1217	1,2954	6,3855
11	600	1300	680	1318	1,2954	6,3855
11	600	1400	732	1420	1,2954	6,3855
11	600	1500	785	1521	1,2954	6,3855
11	600	1600	837	1622	1,2954	6,3855
11	600	1700	889	1724	1,2954	6,3855
11	600	1800	942	1825	1,2954	6,3855
11	600	1900	994	1927	1,2954	6,3855
11	600	2000	1046	2028	1,2954	6,3855
11	600	2100	1099	2129	1,2954	6,3855
11	600	2200	1151	2231	1,2954	6,3855
11	600	2300	1203	2332	1,2954	6,3855
11	600	2400	1256	2434	1,2954	6,3855
11	600	2500	1308	2535	1,2954	6,3855
11	600	2600	1360	2636	1,2954	6,3855
11	600	2700	1413	2738	1,2954	6,3855
11	600	2800	1465	2839	1,2954	6,3855
11	600	2900	1517	2941	1,2954	6,3855
11	600	3000	1570	3042	1,2954	6,3855
11	700	400	238	461	1,2963	7,2353
11	700	500	297	577	1,2963	7,2353
11	700	600	357	692	1,2963	7,2353
11	700	700	416	807	1,2963	7,2353
11	700	800	476	922	1,2963	7,2353
11	700	900	535	1038	1,2963	7,2353
11	700	1000	595	1153	1,2963	7,2353
11	700	1100	654	1268	1,2963	7,2353
11	700	1200	714	1384	1,2963	7,2353

# Declaration of performance

No. DoP-ISG 3370-r01

11	700	1300	773	1499	1,2963	7,2353
11	700	1400	832	1614	1,2963	7,2353
11	700	1500	892	1730	1,2963	7,2353
11	700	1600	951	1845	1,2963	7,2353
11	700	1700	1011	1960	1,2963	7,2353
11	700	1800	1070	2075	1,2963	7,2353
11	700	1900	1130	2191	1,2963	7,2353
11	700	2000	1189	2306	1,2963	7,2353
11	700	2100	1249	2421	1,2963	7,2353
11	700	2200	1308	2537	1,2963	7,2353
11	700	2300	1368	2652	1,2963	7,2353
11	700	2400	1427	2767	1,2963	7,2353
11	700	2500	1487	2883	1,2963	7,2353
11	700	2600	1546	2998	1,2963	7,2353
11	700	2700	1606	3113	1,2963	7,2353
11	700	2800	1665	3228	1,2963	7,2353
11	700	2900	1724	3344	1,2963	7,2353
11	700	3000	1784	3459	1,2963	7,2353
11	900	400	289	561	1,2981	8,7360
11	900	500	361	701	1,2981	8,7360
11	900	600	433	841	1,2981	8,7360
11	900	700	506	981	1,2981	8,7360
11	900	800	578	1122	1,2981	8,7360
11	900	900	650	1262	1,2981	8,7360
11	900	1000	722	1402	1,2981	8,7360
11	900	1100	795	1542	1,2981	8,7360
11	900	1200	867	1682	1,2981	8,7360
11	900	1300	939	1823	1,2981	8,7360
11	900	1400	1011	1963	1,2981	8,7360
11	900	1500	1084	2103	1,2981	8,7360
11	900	1600	1156	2243	1,2981	8,7360
11	900	1700	1228	2383	1,2981	8,7360
11	900	1800	1300	2524	1,2981	8,7360
11	900	1900	1373	2664	1,2981	8,7360
11	900	2000	1445	2804	1,2981	8,7360
11	900	2100	1517	2944	1,2981	8,7360
11	900	2200	1589	3084	1,2981	8,7360
11	900	2300	1661	3225	1,2981	8,7360
11	900	2400	1734	3365	1,2981	8,7360
11	900	2500	1806	3505	1,2981	8,7360
11	900	2600	1878	3645	1,2981	8,7360
11	900	2700	1950	3785	1,2981	8,7360
11	900	2800	2023	3926	1,2981	8,7360
11	900	2900	2095	4066	1,2981	8,7360
11	900	3000	2167	4206	1,2981	8,7360
21	200	400	111	216	1,2975	3,3727
21	200	500	139	270	1,2975	3,3727
21	200	600	167	324	1,2975	3,3727
21	200	700	195	378	1,2975	3,3727

# Declaration of performance

No. DoP-ISG 3370-r01

21	200	800	223	432	1,2975	3,3727
21	200	900	250	486	1,2975	3,3727
21	200	1000	278	540	1,2975	3,3727
21	200	1100	306	594	1,2975	3,3727
21	200	1200	334	648	1,2975	3,3727
21	200	1300	362	702	1,2975	3,3727
21	200	1400	390	756	1,2975	3,3727
21	200	1500	417	810	1,2975	3,3727
21	200	1600	445	864	1,2975	3,3727
21	200	1700	473	918	1,2975	3,3727
21	200	1800	501	972	1,2975	3,3727
21	200	1900	529	1026	1,2975	3,3727
21	200	2000	557	1080	1,2975	3,3727
21	200	2100	584	1134	1,2975	3,3727
21	200	2200	612	1188	1,2975	3,3727
21	200	2300	640	1242	1,2975	3,3727
21	200	2400	668	1296	1,2975	3,3727
21	200	2500	696	1350	1,2975	3,3727
21	200	2600	724	1404	1,2975	3,3727
21	200	2700	751	1458	1,2975	3,3727
21	200	2800	779	1512	1,2975	3,3727
21	200	2900	807	1566	1,2975	3,3727
21	200	3000	835	1620	1,2975	3,3727
21	300	400	158	306	1,3012	4,7155
21	300	500	197	383	1,3012	4,7155
21	300	600	236	460	1,3012	4,7155
21	300	700	276	536	1,3012	4,7155
21	300	800	315	613	1,3012	4,7155
21	300	900	355	689	1,3012	4,7155
21	300	1000	394	766	1,3012	4,7155
21	300	1100	433	843	1,3012	4,7155
21	300	1200	473	919	1,3012	4,7155
21	300	1300	512	996	1,3012	4,7155
21	300	1400	552	1072	1,3012	4,7155
21	300	1500	591	1149	1,3012	4,7155
21	300	1600	630	1226	1,3012	4,7155
21	300	1700	670	1302	1,3012	4,7155
21	300	1800	709	1379	1,3012	4,7155
21	300	1900	749	1455	1,3012	4,7155
21	300	2000	788	1532	1,3012	4,7155
21	300	2100	828	1609	1,3012	4,7155
21	300	2200	867	1685	1,3012	4,7155
21	300	2300	906	1762	1,3012	4,7155
21	300	2400	946	1838	1,3012	4,7155
21	300	2500	985	1915	1,3012	4,7155
21	300	2600	1025	1992	1,3012	4,7155
21	300	2700	1064	2068	1,3012	4,7155
21	300	2800	1103	2145	1,3012	4,7155
21	300	2900	1143	2221	1,3012	4,7155

# Declaration of performance

No. DoP-ISG 3370-r01

21	300	3000	1182	2298	1,3012	4,7155
21	400	400	200	391	1,3074	5,8703
21	400	500	251	489	1,3074	5,8703
21	400	600	301	586	1,3074	5,8703
21	400	700	351	684	1,3074	5,8703
21	400	800	401	782	1,3074	5,8703
21	400	900	451	879	1,3074	5,8703
21	400	1000	501	977	1,3074	5,8703
21	400	1100	551	1075	1,3074	5,8703
21	400	1200	601	1172	1,3074	5,8703
21	400	1300	651	1270	1,3074	5,8703
21	400	1400	701	1368	1,3074	5,8703
21	400	1500	752	1466	1,3074	5,8703
21	400	1600	802	1563	1,3074	5,8703
21	400	1700	852	1661	1,3074	5,8703
21	400	1800	902	1759	1,3074	5,8703
21	400	1900	952	1856	1,3074	5,8703
21	400	2000	1002	1954	1,3074	5,8703
21	400	2100	1052	2052	1,3074	5,8703
21	400	2200	1102	2149	1,3074	5,8703
21	400	2300	1152	2247	1,3074	5,8703
21	400	2400	1202	2345	1,3074	5,8703
21	400	2500	1253	2443	1,3074	5,8703
21	400	2600	1303	2540	1,3074	5,8703
21	400	2700	1353	2638	1,3074	5,8703
21	400	2800	1403	2736	1,3074	5,8703
21	400	2900	1453	2833	1,3074	5,8703
21	400	3000	1503	2931	1,3074	5,8703
21	450	400	221	431	1,3106	6,3907
21	450	500	276	539	1,3106	6,3907
21	450	600	331	646	1,3106	6,3907
21	450	700	386	754	1,3106	6,3907
21	450	800	441	862	1,3106	6,3907
21	450	900	496	969	1,3106	6,3907
21	450	1000	551	1077	1,3106	6,3907
21	450	1100	607	1185	1,3106	6,3907
21	450	1200	662	1292	1,3106	6,3907
21	450	1300	717	1400	1,3106	6,3907
21	450	1400	772	1508	1,3106	6,3907
21	450	1500	827	1616	1,3106	6,3907
21	450	1600	882	1723	1,3106	6,3907
21	450	1700	937	1831	1,3106	6,3907
21	450	1800	993	1939	1,3106	6,3907
21	450	1900	1048	2046	1,3106	6,3907
21	450	2000	1103	2154	1,3106	6,3907
21	450	2100	1158	2262	1,3106	6,3907
21	450	2200	1213	2369	1,3106	6,3907
21	450	2300	1268	2477	1,3106	6,3907
21	450	2400	1323	2585	1,3106	6,3907

# Declaration of performance

No. DoP-ISG 3370-r01

21	450	2500	1378	2693	1,3106	6,3907
21	450	2600	1434	2800	1,3106	6,3907
21	450	2700	1489	2908	1,3106	6,3907
21	450	2800	1544	3016	1,3106	6,3907
21	450	2900	1599	3123	1,3106	6,3907
21	450	3000	1654	3231	1,3106	6,3907
21	500	400	240	470	1,3137	6,8881
21	500	500	300	588	1,3137	6,8881
21	500	600	360	705	1,3137	6,8881
21	500	700	420	823	1,3137	6,8881
21	500	800	480	940	1,3137	6,8881
21	500	900	541	1058	1,3137	6,8881
21	500	1000	601	1175	1,3137	6,8881
21	500	1100	661	1293	1,3137	6,8881
21	500	1200	721	1410	1,3137	6,8881
21	500	1300	781	1528	1,3137	6,8881
21	500	1400	841	1645	1,3137	6,8881
21	500	1500	901	1763	1,3137	6,8881
21	500	1600	961	1880	1,3137	6,8881
21	500	1700	1021	1998	1,3137	6,8881
21	500	1800	1081	2115	1,3137	6,8881
21	500	1900	1141	2233	1,3137	6,8881
21	500	2000	1201	2350	1,3137	6,8881
21	500	2100	1261	2468	1,3137	6,8881
21	500	2200	1321	2585	1,3137	6,8881
21	500	2300	1381	2703	1,3137	6,8881
21	500	2400	1441	2820	1,3137	6,8881
21	500	2500	1502	2938	1,3137	6,8881
21	500	2600	1562	3055	1,3137	6,8881
21	500	2700	1622	3173	1,3137	6,8881
21	500	2800	1682	3290	1,3137	6,8881
21	500	2900	1742	3408	1,3137	6,8881
21	500	3000	1802	3525	1,3137	6,8881
21	550	400	259	508	1,3168	7,3495
21	550	500	324	635	1,3168	7,3495
21	550	600	389	761	1,3168	7,3495
21	550	700	453	888	1,3168	7,3495
21	550	800	518	1015	1,3168	7,3495
21	550	900	583	1142	1,3168	7,3495
21	550	1000	648	1269	1,3168	7,3495
21	550	1100	712	1396	1,3168	7,3495
21	550	1200	777	1523	1,3168	7,3495
21	550	1300	842	1650	1,3168	7,3495
21	550	1400	907	1777	1,3168	7,3495
21	550	1500	971	1904	1,3168	7,3495
21	550	1600	1036	2030	1,3168	7,3495
21	550	1700	1101	2157	1,3168	7,3495
21	550	1800	1166	2284	1,3168	7,3495
21	550	1900	1231	2411	1,3168	7,3495

# Declaration of performance

No. DoP-ISG 3370-r01

21	550	2000	1295	2538	1,3168	7,3495
21	550	2100	1360	2665	1,3168	7,3495
21	550	2200	1425	2792	1,3168	7,3495
21	550	2300	1490	2919	1,3168	7,3495
21	550	2400	1554	3046	1,3168	7,3495
21	550	2500	1619	3173	1,3168	7,3495
21	550	2600	1684	3299	1,3168	7,3495
21	550	2700	1749	3426	1,3168	7,3495
21	550	2800	1813	3553	1,3168	7,3495
21	550	2900	1878	3680	1,3168	7,3495
21	550	3000	1943	3807	1,3168	7,3495
21	600	400	278	545	1,3199	7,7930
21	600	500	347	681	1,3199	7,7930
21	600	600	416	817	1,3199	7,7930
21	600	700	486	953	1,3199	7,7930
21	600	800	555	1090	1,3199	7,7930
21	600	900	625	1226	1,3199	7,7930
21	600	1000	694	1362	1,3199	7,7930
21	600	1100	763	1498	1,3199	7,7930
21	600	1200	833	1634	1,3199	7,7930
21	600	1300	902	1771	1,3199	7,7930
21	600	1400	972	1907	1,3199	7,7930
21	600	1500	1041	2043	1,3199	7,7930
21	600	1600	1110	2179	1,3199	7,7930
21	600	1700	1180	2315	1,3199	7,7930
21	600	1800	1249	2452	1,3199	7,7930
21	600	1900	1319	2588	1,3199	7,7930
21	600	2000	1388	2724	1,3199	7,7930
21	600	2100	1457	2860	1,3199	7,7930
21	600	2200	1527	2996	1,3199	7,7930
21	600	2300	1596	3133	1,3199	7,7930
21	600	2400	1666	3269	1,3199	7,7930
21	600	2500	1735	3405	1,3199	7,7930
21	600	2600	1804	3541	1,3199	7,7930
21	600	2700	1874	3677	1,3199	7,7930
21	600	2800	1943	3814	1,3199	7,7930
21	600	2900	2013	3950	1,3199	7,7930
21	600	3000	2082	4086	1,3199	7,7930
21	700	400	313	616	1,3256	8,6116
21	700	500	391	770	1,3256	8,6116
21	700	600	469	923	1,3256	8,6116
21	700	700	547	1077	1,3256	8,6116
21	700	800	626	1231	1,3256	8,6116
21	700	900	704	1385	1,3256	8,6116
21	700	1000	782	1539	1,3256	8,6116
21	700	1100	860	1693	1,3256	8,6116
21	700	1200	938	1847	1,3256	8,6116
21	700	1300	1016	2001	1,3256	8,6116
21	700	1400	1095	2155	1,3256	8,6116

# Declaration of performance

No. DoP-ISG 3370-r01

21	700	1500	1173	2309	1,3256	8,6116
21	700	1600	1251	2462	1,3256	8,6116
21	700	1700	1329	2616	1,3256	8,6116
21	700	1800	1407	2770	1,3256	8,6116
21	700	1900	1486	2924	1,3256	8,6116
21	700	2000	1564	3078	1,3256	8,6116
21	700	2100	1642	3232	1,3256	8,6116
21	700	2200	1720	3386	1,3256	8,6116
21	700	2300	1798	3540	1,3256	8,6116
21	700	2400	1877	3694	1,3256	8,6116
21	700	2500	1955	3848	1,3256	8,6116
21	700	2600	2033	4001	1,3256	8,6116
21	700	2700	2111	4155	1,3256	8,6116
21	700	2800	2189	4309	1,3256	8,6116
21	700	2900	2268	4463	1,3256	8,6116
21	700	3000	2346	4617	1,3256	8,6116
21	900	400	377	747	1,3369	10,0005
21	900	500	472	934	1,3369	10,0005
21	900	600	566	1121	1,3369	10,0005
21	900	700	661	1308	1,3369	10,0005
21	900	800	755	1494	1,3369	10,0005
21	900	900	849	1681	1,3369	10,0005
21	900	1000	944	1868	1,3369	10,0005
21	900	1100	1038	2055	1,3369	10,0005
21	900	1200	1132	2242	1,3369	10,0005
21	900	1300	1227	2428	1,3369	10,0005
21	900	1400	1321	2615	1,3369	10,0005
21	900	1500	1415	2802	1,3369	10,0005
21	900	1600	1510	2989	1,3369	10,0005
21	900	1700	1604	3176	1,3369	10,0005
21	900	1800	1698	3362	1,3369	10,0005
21	900	1900	1793	3549	1,3369	10,0005
21	900	2000	1887	3736	1,3369	10,0005
21	900	2100	1982	3923	1,3369	10,0005
21	900	2200	2076	4110	1,3369	10,0005
21	900	2300	2170	4296	1,3369	10,0005
21	900	2400	2265	4483	1,3369	10,0005
21	900	2500	2359	4670	1,3369	10,0005
21	900	2600	2453	4857	1,3369	10,0005
21	900	2700	2548	5044	1,3369	10,0005
21	900	2800	2642	5230	1,3369	10,0005
21	900	2900	2736	5417	1,3369	10,0005
21	900	3000	2831	5604	1,3369	10,0005
22	200	400	141	274	1,2974	4,2800
22	200	500	177	343	1,2974	4,2800
22	200	600	212	411	1,2974	4,2800
22	200	700	247	480	1,2974	4,2800
22	200	800	282	548	1,2974	4,2800
22	200	900	318	617	1,2974	4,2800

# Declaration of performance

No. DoP-ISG 3370-r01

22	200	1000	353	685	1,2974	4,2800
22	200	1100	388	754	1,2974	4,2800
22	200	1200	424	822	1,2974	4,2800
22	200	1300	459	891	1,2974	4,2800
22	200	1400	494	959	1,2974	4,2800
22	200	1500	530	1028	1,2974	4,2800
22	200	1600	565	1096	1,2974	4,2800
22	200	1700	600	1165	1,2974	4,2800
22	200	1800	636	1233	1,2974	4,2800
22	200	1900	671	1302	1,2974	4,2800
22	200	2000	706	1370	1,2974	4,2800
22	200	2100	741	1439	1,2974	4,2800
22	200	2200	777	1507	1,2974	4,2800
22	200	2300	812	1576	1,2974	4,2800
22	200	2400	847	1644	1,2974	4,2800
22	200	2500	883	1713	1,2974	4,2800
22	200	2600	918	1781	1,2974	4,2800
22	200	2700	953	1850	1,2974	4,2800
22	200	2800	989	1918	1,2974	4,2800
22	200	2900	1024	1987	1,2974	4,2800
22	200	3000	1059	2055	1,2974	4,2800
22	300	400	201	393	1,3128	5,7829
22	300	500	251	492	1,3128	5,7829
22	300	600	302	590	1,3128	5,7829
22	300	700	352	688	1,3128	5,7829
22	300	800	402	786	1,3128	5,7829
22	300	900	452	885	1,3128	5,7829
22	300	1000	503	983	1,3128	5,7829
22	300	1100	553	1081	1,3128	5,7829
22	300	1200	603	1180	1,3128	5,7829
22	300	1300	654	1278	1,3128	5,7829
22	300	1400	704	1376	1,3128	5,7829
22	300	1500	754	1475	1,3128	5,7829
22	300	1600	804	1573	1,3128	5,7829
22	300	1700	855	1671	1,3128	5,7829
22	300	1800	905	1769	1,3128	5,7829
22	300	1900	955	1868	1,3128	5,7829
22	300	2000	1005	1966	1,3128	5,7829
22	300	2100	1056	2064	1,3128	5,7829
22	300	2200	1106	2163	1,3128	5,7829
22	300	2300	1156	2261	1,3128	5,7829
22	300	2400	1206	2359	1,3128	5,7829
22	300	2500	1257	2458	1,3128	5,7829
22	300	2600	1307	2556	1,3128	5,7829
22	300	2700	1357	2654	1,3128	5,7829
22	300	2800	1408	2752	1,3128	5,7829
22	300	2900	1458	2851	1,3128	5,7829
22	300	3000	1508	2949	1,3128	5,7829
22	400	400	256	504	1,3237	7,0974



# Declaration of performance

No. DoP-ISG 3370-r01

22	400	500	320	630	1,3237	7,0974
22	400	600	384	755	1,3237	7,0974
22	400	700	448	881	1,3237	7,0974
22	400	800	512	1007	1,3237	7,0974
22	400	900	576	1133	1,3237	7,0974
22	400	1000	640	1259	1,3237	7,0974
22	400	1100	704	1385	1,3237	7,0974
22	400	1200	768	1511	1,3237	7,0974
22	400	1300	832	1637	1,3237	7,0974
22	400	1400	896	1763	1,3237	7,0974
22	400	1500	960	1889	1,3237	7,0974
22	400	1600	1024	2014	1,3237	7,0974
22	400	1700	1088	2140	1,3237	7,0974
22	400	1800	1152	2266	1,3237	7,0974
22	400	1900	1217	2392	1,3237	7,0974
22	400	2000	1281	2518	1,3237	7,0974
22	400	2100	1345	2644	1,3237	7,0974
22	400	2200	1409	2770	1,3237	7,0974
22	400	2300	1473	2896	1,3237	7,0974
22	400	2400	1537	3022	1,3237	7,0974
22	400	2500	1601	3148	1,3237	7,0974
22	400	2600	1665	3273	1,3237	7,0974
22	400	2700	1729	3399	1,3237	7,0974
22	400	2800	1793	3525	1,3237	7,0974
22	400	2900	1857	3651	1,3237	7,0974
22	400	3000	1921	3777	1,3237	7,0974
22	450	400	282	555	1,3292	7,6581
22	450	500	352	694	1,3292	7,6581
22	450	600	422	833	1,3292	7,6581
22	450	700	493	972	1,3292	7,6581
22	450	800	563	1110	1,3292	7,6581
22	450	900	634	1249	1,3292	7,6581
22	450	1000	704	1388	1,3292	7,6581
22	450	1100	774	1527	1,3292	7,6581
22	450	1200	845	1666	1,3292	7,6581
22	450	1300	915	1804	1,3292	7,6581
22	450	1400	985	1943	1,3292	7,6581
22	450	1500	1056	2082	1,3292	7,6581
22	450	1600	1126	2221	1,3292	7,6581
22	450	1700	1197	2360	1,3292	7,6581
22	450	1800	1267	2498	1,3292	7,6581
22	450	1900	1337	2637	1,3292	7,6581
22	450	2000	1408	2776	1,3292	7,6581
22	450	2100	1478	2915	1,3292	7,6581
22	450	2200	1549	3054	1,3292	7,6581
22	450	2300	1619	3192	1,3292	7,6581
22	450	2400	1689	3331	1,3292	7,6581
22	450	2500	1760	3470	1,3292	7,6581
22	450	2600	1830	3609	1,3292	7,6581

# Declaration of performance

No. DoP-ISG 3370-r01

22	450	2700	1901	3748	1,3292	7,6581
22	450	2800	1971	3886	1,3292	7,6581
22	450	2900	2041	4025	1,3292	7,6581
22	450	3000	2112	4164	1,3292	7,6581
22	500	400	306	605	1,3347	8,1700
22	500	500	383	757	1,3347	8,1700
22	500	600	459	908	1,3347	8,1700
22	500	700	536	1059	1,3347	8,1700
22	500	800	612	1210	1,3347	8,1700
22	500	900	689	1362	1,3347	8,1700
22	500	1000	765	1513	1,3347	8,1700
22	500	1100	842	1664	1,3347	8,1700
22	500	1200	918	1816	1,3347	8,1700
22	500	1300	995	1967	1,3347	8,1700
22	500	1400	1071	2118	1,3347	8,1700
22	500	1500	1148	2270	1,3347	8,1700
22	500	1600	1224	2421	1,3347	8,1700
22	500	1700	1301	2572	1,3347	8,1700
22	500	1800	1377	2723	1,3347	8,1700
22	500	1900	1454	2875	1,3347	8,1700
22	500	2000	1530	3026	1,3347	8,1700
22	500	2100	1607	3177	1,3347	8,1700
22	500	2200	1683	3329	1,3347	8,1700
22	500	2300	1760	3480	1,3347	8,1700
22	500	2400	1836	3631	1,3347	8,1700
22	500	2500	1913	3783	1,3347	8,1700
22	500	2600	1989	3934	1,3347	8,1700
22	500	2700	2066	4085	1,3347	8,1700
22	500	2800	2142	4236	1,3347	8,1700
22	500	2900	2219	4388	1,3347	8,1700
22	500	3000	2295	4539	1,3347	8,1700
22	550	400	329	653	1,3401	8,6284
22	550	500	412	816	1,3401	8,6284
22	550	600	494	979	1,3401	8,6284
22	550	700	576	1142	1,3401	8,6284
22	550	800	658	1306	1,3401	8,6284
22	550	900	741	1469	1,3401	8,6284
22	550	1000	823	1632	1,3401	8,6284
22	550	1100	905	1795	1,3401	8,6284
22	550	1200	988	1958	1,3401	8,6284
22	550	1300	1070	2122	1,3401	8,6284
22	550	1400	1152	2285	1,3401	8,6284
22	550	1500	1235	2448	1,3401	8,6284
22	550	1600	1317	2611	1,3401	8,6284
22	550	1700	1399	2774	1,3401	8,6284
22	550	1800	1481	2938	1,3401	8,6284
22	550	1900	1564	3101	1,3401	8,6284
22	550	2000	1646	3264	1,3401	8,6284
22	550	2100	1728	3427	1,3401	8,6284

# Declaration of performance

No. DoP-ISG 3370-r01

22	550	2200	1811	3590	1,3401	8,6284
22	550	2300	1893	3754	1,3401	8,6284
22	550	2400	1975	3917	1,3401	8,6284
22	550	2500	2058	4080	1,3401	8,6284
22	550	2600	2140	4243	1,3401	8,6284
22	550	2700	2222	4406	1,3401	8,6284
22	550	2800	2305	4570	1,3401	8,6284
22	550	2900	2387	4733	1,3401	8,6284
22	550	3000	2469	4896	1,3401	8,6284
22	600	400	351	699	1,3456	9,0398
22	600	500	439	874	1,3456	9,0398
22	600	600	527	1048	1,3456	9,0398
22	600	700	615	1223	1,3456	9,0398
22	600	800	703	1398	1,3456	9,0398
22	600	900	791	1572	1,3456	9,0398
22	600	1000	879	1747	1,3456	9,0398
22	600	1100	966	1922	1,3456	9,0398
22	600	1200	1054	2096	1,3456	9,0398
22	600	1300	1142	2271	1,3456	9,0398
22	600	1400	1230	2446	1,3456	9,0398
22	600	1500	1318	2621	1,3456	9,0398
22	600	1600	1406	2795	1,3456	9,0398
22	600	1700	1494	2970	1,3456	9,0398
22	600	1800	1581	3145	1,3456	9,0398
22	600	1900	1669	3319	1,3456	9,0398
22	600	2000	1757	3494	1,3456	9,0398
22	600	2100	1845	3669	1,3456	9,0398
22	600	2200	1933	3843	1,3456	9,0398
22	600	2300	2021	4018	1,3456	9,0398
22	600	2400	2109	4193	1,3456	9,0398
22	600	2500	2196	4368	1,3456	9,0398
22	600	2600	2284	4542	1,3456	9,0398
22	600	2700	2372	4717	1,3456	9,0398
22	600	2800	2460	4892	1,3456	9,0398
22	600	2900	2548	5066	1,3456	9,0398
22	600	3000	2636	5241	1,3456	9,0398
22	700	400	395	785	1,3455	10,1615
22	700	500	494	982	1,3455	10,1615
22	700	600	592	1178	1,3455	10,1615
22	700	700	691	1374	1,3455	10,1615
22	700	800	790	1570	1,3455	10,1615
22	700	900	889	1767	1,3455	10,1615
22	700	1000	987	1963	1,3455	10,1615
22	700	1100	1086	2159	1,3455	10,1615
22	700	1200	1185	2356	1,3455	10,1615
22	700	1300	1283	2552	1,3455	10,1615
22	700	1400	1382	2748	1,3455	10,1615
22	700	1500	1481	2945	1,3455	10,1615
22	700	1600	1580	3141	1,3455	10,1615

# Declaration of performance

No. DoP-ISG 3370-r01

22	700	1700	1678	3337	1,3455	10,1615
22	700	1800	1777	3533	1,3455	10,1615
22	700	1900	1876	3730	1,3455	10,1615
22	700	2000	1974	3926	1,3455	10,1615
22	700	2100	2073	4122	1,3455	10,1615
22	700	2200	2172	4319	1,3455	10,1615
22	700	2300	2271	4515	1,3455	10,1615
22	700	2400	2369	4711	1,3455	10,1615
22	700	2500	2468	4908	1,3455	10,1615
22	700	2600	2567	5104	1,3455	10,1615
22	700	2700	2666	5300	1,3455	10,1615
22	700	2800	2764	5496	1,3455	10,1615
22	700	2900	2863	5693	1,3455	10,1615
22	700	3000	2962	5889	1,3455	10,1615
22	900	400	471	937	1,3452	12,1428
22	900	500	589	1172	1,3452	12,1428
22	900	600	707	1406	1,3452	12,1428
22	900	700	825	1640	1,3452	12,1428
22	900	800	943	1874	1,3452	12,1428
22	900	900	1061	2109	1,3452	12,1428
22	900	1000	1179	2343	1,3452	12,1428
22	900	1100	1296	2577	1,3452	12,1428
22	900	1200	1414	2812	1,3452	12,1428
22	900	1300	1532	3046	1,3452	12,1428
22	900	1400	1650	3280	1,3452	12,1428
22	900	1500	1768	3515	1,3452	12,1428
22	900	1600	1886	3749	1,3452	12,1428
22	900	1700	2004	3983	1,3452	12,1428
22	900	1800	2121	4217	1,3452	12,1428
22	900	1900	2239	4452	1,3452	12,1428
22	900	2000	2357	4686	1,3452	12,1428
22	900	2100	2475	4920	1,3452	12,1428
22	900	2200	2593	5155	1,3452	12,1428
22	900	2300	2711	5389	1,3452	12,1428
22	900	2400	2828	5623	1,3452	12,1428
22	900	2500	2946	5858	1,3452	12,1428
22	900	2600	3064	6092	1,3452	12,1428
22	900	2700	3182	6326	1,3452	12,1428
22	900	2800	3300	6560	1,3452	12,1428
22	900	2900	3418	6795	1,3452	12,1428
22	900	3000	3536	7029	1,3452	12,1428
33	200	400	201	388	1,2845	6,3745
33	200	500	252	485	1,2845	6,3745
33	200	600	302	582	1,2845	6,3745
33	200	700	352	679	1,2845	6,3745
33	200	800	403	776	1,2845	6,3745
33	200	900	453	873	1,2845	6,3745
33	200	1000	503	970	1,2845	6,3745
33	200	1100	554	1067	1,2845	6,3745

# Declaration of performance

No. DoP-ISG 3370-r01

33	200	1200	604	1164	1,2845	6,3745
33	200	1300	654	1261	1,2845	6,3745
33	200	1400	705	1358	1,2845	6,3745
33	200	1500	755	1455	1,2845	6,3745
33	200	1600	805	1552	1,2845	6,3745
33	200	1700	856	1649	1,2845	6,3745
33	200	1800	906	1746	1,2845	6,3745
33	200	1900	956	1843	1,2845	6,3745
33	200	2000	1007	1940	1,2845	6,3745
33	200	2100	1057	2037	1,2845	6,3745
33	200	2200	1107	2134	1,2845	6,3745
33	200	2300	1158	2231	1,2845	6,3745
33	200	2400	1208	2328	1,2845	6,3745
33	200	2500	1258	2425	1,2845	6,3745
33	200	2600	1309	2522	1,2845	6,3745
33	200	2700	1359	2619	1,2845	6,3745
33	200	2800	1409	2716	1,2845	6,3745
33	200	2900	1460	2813	1,2845	6,3745
33	200	3000	1510	2910	1,2845	6,3745
33	300	400	287	559	1,3029	8,5491
33	300	500	359	699	1,3029	8,5491
33	300	600	431	839	1,3029	8,5491
33	300	700	503	979	1,3029	8,5491
33	300	800	575	1118	1,3029	8,5491
33	300	900	647	1258	1,3029	8,5491
33	300	1000	719	1398	1,3029	8,5491
33	300	1100	790	1538	1,3029	8,5491
33	300	1200	862	1678	1,3029	8,5491
33	300	1300	934	1817	1,3029	8,5491
33	300	1400	1006	1957	1,3029	8,5491
33	300	1500	1078	2097	1,3029	8,5491
33	300	1600	1150	2237	1,3029	8,5491
33	300	1700	1222	2377	1,3029	8,5491
33	300	1800	1293	2516	1,3029	8,5491
33	300	1900	1365	2656	1,3029	8,5491
33	300	2000	1437	2796	1,3029	8,5491
33	300	2100	1509	2936	1,3029	8,5491
33	300	2200	1581	3076	1,3029	8,5491
33	300	2300	1653	3215	1,3029	8,5491
33	300	2400	1725	3355	1,3029	8,5491
33	300	2500	1796	3495	1,3029	8,5491
33	300	2600	1868	3635	1,3029	8,5491
33	300	2700	1940	3775	1,3029	8,5491
33	300	2800	2012	3914	1,3029	8,5491
33	300	2900	2084	4054	1,3029	8,5491
33	300	3000	2156	4194	1,3029	8,5491
33	400	400	367	716	1,3099	10,6565
33	400	500	459	896	1,3099	10,6565
33	400	600	550	1075	1,3099	10,6565

# Declaration of performance

No. DoP-ISG 3370-r01

33	400	700	642	1254	1,3099	10,6565
33	400	800	734	1433	1,3099	10,6565
33	400	900	826	1612	1,3099	10,6565
33	400	1000	917	1791	1,3099	10,6565
33	400	1100	1009	1970	1,3099	10,6565
33	400	1200	1101	2149	1,3099	10,6565
33	400	1300	1192	2328	1,3099	10,6565
33	400	1400	1284	2507	1,3099	10,6565
33	400	1500	1376	2687	1,3099	10,6565
33	400	1600	1468	2866	1,3099	10,6565
33	400	1700	1559	3045	1,3099	10,6565
33	400	1800	1651	3224	1,3099	10,6565
33	400	1900	1743	3403	1,3099	10,6565
33	400	2000	1835	3582	1,3099	10,6565
33	400	2100	1926	3761	1,3099	10,6565
33	400	2200	2018	3940	1,3099	10,6565
33	400	2300	2110	4119	1,3099	10,6565
33	400	2400	2201	4298	1,3099	10,6565
33	400	2500	2293	4478	1,3099	10,6565
33	400	2600	2385	4657	1,3099	10,6565
33	400	2700	2477	4836	1,3099	10,6565
33	400	2800	2568	5015	1,3099	10,6565
33	400	2900	2660	5194	1,3099	10,6565
33	400	3000	2752	5373	1,3099	10,6565
33	450	400	404	790	1,3134	11,5974
33	450	500	505	988	1,3134	11,5974
33	450	600	606	1186	1,3134	11,5974
33	450	700	707	1383	1,3134	11,5974
33	450	800	808	1581	1,3134	11,5974
33	450	900	909	1778	1,3134	11,5974
33	450	1000	1010	1976	1,3134	11,5974
33	450	1100	1111	2174	1,3134	11,5974
33	450	1200	1212	2371	1,3134	11,5974
33	450	1300	1313	2569	1,3134	11,5974
33	450	1400	1414	2766	1,3134	11,5974
33	450	1500	1515	2964	1,3134	11,5974
33	450	1600	1616	3162	1,3134	11,5974
33	450	1700	1717	3359	1,3134	11,5974
33	450	1800	1818	3557	1,3134	11,5974
33	450	1900	1919	3754	1,3134	11,5974
33	450	2000	2020	3952	1,3134	11,5974
33	450	2100	2121	4150	1,3134	11,5974
33	450	2200	2222	4347	1,3134	11,5974
33	450	2300	2323	4545	1,3134	11,5974
33	450	2400	2424	4742	1,3134	11,5974
33	450	2500	2526	4940	1,3134	11,5974
33	450	2600	2627	5138	1,3134	11,5974
33	450	2700	2728	5335	1,3134	11,5974
33	450	2800	2829	5533	1,3134	11,5974

# Declaration of performance

No. DoP-ISG 3370-r01

33	450	2900	2930	5730	1,3134	11,5974
33	450	3000	3031	5928	1,3134	11,5974
33	500	400	440	861	1,3168	12,4692
33	500	500	549	1077	1,3168	12,4692
33	500	600	659	1292	1,3168	12,4692
33	500	700	769	1507	1,3168	12,4692
33	500	800	879	1722	1,3168	12,4692
33	500	900	989	1938	1,3168	12,4692
33	500	1000	1099	2153	1,3168	12,4692
33	500	1100	1209	2368	1,3168	12,4692
33	500	1200	1319	2584	1,3168	12,4692
33	500	1300	1428	2799	1,3168	12,4692
33	500	1400	1538	3014	1,3168	12,4692
33	500	1500	1648	3230	1,3168	12,4692
33	500	1600	1758	3445	1,3168	12,4692
33	500	1700	1868	3660	1,3168	12,4692
33	500	1800	1978	3875	1,3168	12,4692
33	500	1900	2088	4091	1,3168	12,4692
33	500	2000	2198	4306	1,3168	12,4692
33	500	2100	2307	4521	1,3168	12,4692
33	500	2200	2417	4737	1,3168	12,4692
33	500	2300	2527	4952	1,3168	12,4692
33	500	2400	2637	5167	1,3168	12,4692
33	500	2500	2747	5383	1,3168	12,4692
33	500	2600	2857	5598	1,3168	12,4692
33	500	2700	2967	5813	1,3168	12,4692
33	500	2800	3077	6028	1,3168	12,4692
33	500	2900	3186	6244	1,3168	12,4692
33	500	3000	3296	6459	1,3168	12,4692
33	550	400	473	929	1,3203	13,2651
33	550	500	591	1161	1,3203	13,2651
33	550	600	710	1393	1,3203	13,2651
33	550	700	828	1625	1,3203	13,2651
33	550	800	946	1858	1,3203	13,2651
33	550	900	1065	2090	1,3203	13,2651
33	550	1000	1183	2322	1,3203	13,2651
33	550	1100	1301	2554	1,3203	13,2651
33	550	1200	1420	2786	1,3203	13,2651
33	550	1300	1538	3019	1,3203	13,2651
33	550	1400	1656	3251	1,3203	13,2651
33	550	1500	1774	3483	1,3203	13,2651
33	550	1600	1893	3715	1,3203	13,2651
33	550	1700	2011	3947	1,3203	13,2651
33	550	1800	2129	4180	1,3203	13,2651
33	550	1900	2248	4412	1,3203	13,2651
33	550	2000	2366	4644	1,3203	13,2651
33	550	2100	2484	4876	1,3203	13,2651
33	550	2200	2602	5108	1,3203	13,2651
33	550	2300	2721	5341	1,3203	13,2651

# Declaration of performance

No. DoP-ISG 3370-r01

33	550	2400	2839	5573	1,3203	13,2651
33	550	2500	2957	5805	1,3203	13,2651
33	550	2600	3076	6037	1,3203	13,2651
33	550	2700	3194	6269	1,3203	13,2651
33	550	2800	3312	6502	1,3203	13,2651
33	550	2900	3430	6734	1,3203	13,2651
33	550	3000	3549	6966	1,3203	13,2651
33	600	400	505	994	1,3238	13,9976
33	600	500	632	1242	1,3238	13,9976
33	600	600	758	1490	1,3238	13,9976
33	600	700	884	1739	1,3238	13,9976
33	600	800	1011	1987	1,3238	13,9976
33	600	900	1137	2236	1,3238	13,9976
33	600	1000	1263	2484	1,3238	13,9976
33	600	1100	1390	2732	1,3238	13,9976
33	600	1200	1516	2981	1,3238	13,9976
33	600	1300	1642	3229	1,3238	13,9976
33	600	1400	1768	3478	1,3238	13,9976
33	600	1500	1895	3726	1,3238	13,9976
33	600	1600	2021	3974	1,3238	13,9976
33	600	1700	2147	4223	1,3238	13,9976
33	600	1800	2274	4471	1,3238	13,9976
33	600	1900	2400	4720	1,3238	13,9976
33	600	2000	2526	4968	1,3238	13,9976
33	600	2100	2653	5216	1,3238	13,9976
33	600	2200	2779	5465	1,3238	13,9976
33	600	2300	2905	5713	1,3238	13,9976
33	600	2400	3032	5962	1,3238	13,9976
33	600	2500	3158	6210	1,3238	13,9976
33	600	2600	3284	6458	1,3238	13,9976
33	600	2700	3411	6707	1,3238	13,9976
33	600	2800	3537	6955	1,3238	13,9976
33	600	2900	3663	7204	1,3238	13,9976
33	600	3000	3790	7452	1,3238	13,9976
33	700	400	566	1115	1,3282	15,4426
33	700	500	707	1394	1,3282	15,4426
33	700	600	849	1673	1,3282	15,4426
33	700	700	990	1952	1,3282	15,4426
33	700	800	1132	2230	1,3282	15,4426
33	700	900	1273	2509	1,3282	15,4426
33	700	1000	1415	2788	1,3282	15,4426
33	700	1100	1556	3067	1,3282	15,4426
33	700	1200	1698	3346	1,3282	15,4426
33	700	1300	1839	3624	1,3282	15,4426
33	700	1400	1980	3903	1,3282	15,4426
33	700	1500	2122	4182	1,3282	15,4426
33	700	1600	2263	4461	1,3282	15,4426
33	700	1700	2405	4740	1,3282	15,4426
33	700	1800	2546	5018	1,3282	15,4426



# Declaration of performance

No. DoP-ISG 3370-r01

33	700	1900	2688	5297	1,3282	15,4426
33	700	2000	2829	5576	1,3282	15,4426
33	700	2100	2971	5855	1,3282	15,4426
33	700	2200	3112	6134	1,3282	15,4426
33	700	2300	3254	6412	1,3282	15,4426
33	700	2400	3395	6691	1,3282	15,4426
33	700	2500	3536	6970	1,3282	15,4426
33	700	2600	3678	7249	1,3282	15,4426
33	700	2700	3819	7528	1,3282	15,4426
33	700	2800	3961	7806	1,3282	15,4426
33	700	2900	4102	8085	1,3282	15,4426
33	700	3000	4244	8364	1,3282	15,4426
33	900	400	670	1326	1,337	17,7456
33	900	500	837	1658	1,337	17,7456
33	900	600	1005	1990	1,337	17,7456
33	900	700	1172	2321	1,337	17,7456
33	900	800	1340	2653	1,337	17,7456
33	900	900	1507	2984	1,337	17,7456
33	900	1000	1675	3316	1,337	17,7456
33	900	1100	1842	3648	1,337	17,7456
33	900	1200	2010	3979	1,337	17,7456
33	900	1300	2177	4311	1,337	17,7456
33	900	1400	2345	4642	1,337	17,7456
33	900	1500	2512	4974	1,337	17,7456
33	900	1600	2680	5306	1,337	17,7456
33	900	1700	2847	5637	1,337	17,7456
33	900	1800	3015	5969	1,337	17,7456
33	900	1900	3182	6300	1,337	17,7456
33	900	2000	3350	6632	1,337	17,7456
33	900	2100	3517	6964	1,337	17,7456
33	900	2200	3685	7295	1,337	17,7456
33	900	2300	3852	7627	1,337	17,7456
33	900	2400	4020	7958	1,337	17,7456
33	900	2500	4187	8290	1,337	17,7456
33	900	2600	4355	8622	1,337	17,7456
33	900	2700	4522	8953	1,337	17,7456
33	900	2800	4690	9285	1,337	17,7456
33	900	2900	4857	9616	1,337	17,7456
33	900	3000	5025	9948	1,337	17,7456

## Termolux

T	H (mm)	L (mm)	Heat output dT30 (W)	Heat output dT50 (W)	n	K <sub>M</sub>
30	300	400	173	335	1,2994	5,1952
30	300	500	216	419	1,2994	5,1952
30	300	600	259	503	1,2994	5,1952
30	300	700	302	587	1,2994	5,1952
30	300	800	345	670	1,2994	5,1952
30	300	900	388	754	1,2994	5,1952

# Declaration of performance

No. DoP-ISG 3370-r01

30	300	1000	431	838	1,2994	5,1952
30	300	1100	475	922	1,2994	5,1952
30	300	1200	518	1006	1,2994	5,1952
30	300	1300	561	1089	1,2994	5,1952
30	300	1400	604	1173	1,2994	5,1952
30	300	1500	647	1257	1,2994	5,1952
30	300	1600	690	1341	1,2994	5,1952
30	300	1700	734	1425	1,2994	5,1952
30	300	1800	777	1508	1,2994	5,1952
30	300	1900	820	1592	1,2994	5,1952
30	300	2000	863	1676	1,2994	5,1952
30	300	2100	906	1760	1,2994	5,1952
30	300	2200	949	1844	1,2994	5,1952
30	300	2300	992	1927	1,2994	5,1952
30	300	2400	1036	2011	1,2994	5,1952
30	300	2500	1079	2095	1,2994	5,1952
30	300	2600	1122	2179	1,2994	5,1952
30	300	2700	1165	2263	1,2994	5,1952
30	300	2800	1208	2346	1,2994	5,1952
30	300	2900	1251	2430	1,2994	5,1952
30	300	3000	1294	2514	1,2994	5,1952
30	400	400	214	416	1,2975	6,4956
30	400	500	268	520	1,2975	6,4956
30	400	600	322	624	1,2975	6,4956
30	400	700	375	728	1,2975	6,4956
30	400	800	429	832	1,2975	6,4956
30	400	900	482	936	1,2975	6,4956
30	400	1000	536	1040	1,2975	6,4956
30	400	1100	590	1144	1,2975	6,4956
30	400	1200	643	1248	1,2975	6,4956
30	400	1300	697	1352	1,2975	6,4956
30	400	1400	750	1456	1,2975	6,4956
30	400	1500	804	1560	1,2975	6,4956
30	400	1600	858	1664	1,2975	6,4956
30	400	1700	911	1768	1,2975	6,4956
30	400	1800	965	1872	1,2975	6,4956
30	400	1900	1018	1976	1,2975	6,4956
30	400	2000	1072	2080	1,2975	6,4956
30	400	2100	1126	2184	1,2975	6,4956
30	400	2200	1179	2288	1,2975	6,4956
30	400	2300	1233	2392	1,2975	6,4956
30	400	2400	1286	2496	1,2975	6,4956
30	400	2500	1340	2600	1,2975	6,4956
30	400	2600	1394	2704	1,2975	6,4956
30	400	2700	1447	2808	1,2975	6,4956
30	400	2800	1501	2912	1,2975	6,4956
30	400	2900	1554	3016	1,2975	6,4956
30	400	3000	1608	3120	1,2975	6,4956
30	450	400	235	455	1,2966	7,1328

# Declaration of performance

No. DoP-ISG 3370-r01

30	450	500	293	569	1,2966	7,1328
30	450	600	352	683	1,2966	7,1328
30	450	700	411	797	1,2966	7,1328
30	450	800	469	910	1,2966	7,1328
30	450	900	528	1024	1,2966	7,1328
30	450	1000	587	1138	1,2966	7,1328
30	450	1100	645	1252	1,2966	7,1328
30	450	1200	704	1366	1,2966	7,1328
30	450	1300	763	1479	1,2966	7,1328
30	450	1400	822	1593	1,2966	7,1328
30	450	1500	880	1707	1,2966	7,1328
30	450	1600	939	1821	1,2966	7,1328
30	450	1700	998	1935	1,2966	7,1328
30	450	1800	1056	2048	1,2966	7,1328
30	450	1900	1115	2162	1,2966	7,1328
30	450	2000	1174	2276	1,2966	7,1328
30	450	2100	1232	2390	1,2966	7,1328
30	450	2200	1291	2504	1,2966	7,1328
30	450	2300	1350	2617	1,2966	7,1328
30	450	2400	1408	2731	1,2966	7,1328
30	450	2500	1467	2845	1,2966	7,1328
30	450	2600	1526	2959	1,2966	7,1328
30	450	2700	1584	3073	1,2966	7,1328
30	450	2800	1643	3186	1,2966	7,1328
30	450	2900	1702	3300	1,2966	7,1328
30	450	3000	1760	3414	1,2966	7,1328
30	500	400	255	494	1,2957	7,7618
30	500	500	318	617	1,2957	7,7618
30	500	600	382	740	1,2957	7,7618
30	500	700	446	864	1,2957	7,7618
30	500	800	509	987	1,2957	7,7618
30	500	900	573	1111	1,2957	7,7618
30	500	1000	637	1234	1,2957	7,7618
30	500	1100	700	1357	1,2957	7,7618
30	500	1200	764	1481	1,2957	7,7618
30	500	1300	828	1604	1,2957	7,7618
30	500	1400	891	1728	1,2957	7,7618
30	500	1500	955	1851	1,2957	7,7618
30	500	1600	1019	1974	1,2957	7,7618
30	500	1700	1082	2098	1,2957	7,7618
30	500	1800	1146	2221	1,2957	7,7618
30	500	1900	1210	2345	1,2957	7,7618
30	500	2000	1273	2468	1,2957	7,7618
30	500	2100	1337	2591	1,2957	7,7618
30	500	2200	1401	2715	1,2957	7,7618
30	500	2300	1464	2838	1,2957	7,7618
30	500	2400	1528	2962	1,2957	7,7618
30	500	2500	1591	3085	1,2957	7,7618
30	500	2600	1655	3208	1,2957	7,7618

# Declaration of performance

No. DoP-ISG 3370-r01

30	500	2700	1719	3332	1,2957	7,7618
30	500	2800	1782	3455	1,2957	7,7618
30	500	2900	1846	3579	1,2957	7,7618
30	500	3000	1910	3702	1,2957	7,7618
30	550	400	274	531	1,2947	8,3857
30	550	500	343	664	1,2947	8,3857
30	550	600	411	797	1,2947	8,3857
30	550	700	480	930	1,2947	8,3857
30	550	800	548	1062	1,2947	8,3857
30	550	900	617	1195	1,2947	8,3857
30	550	1000	685	1328	1,2947	8,3857
30	550	1100	754	1461	1,2947	8,3857
30	550	1200	823	1594	1,2947	8,3857
30	550	1300	891	1726	1,2947	8,3857
30	550	1400	960	1859	1,2947	8,3857
30	550	1500	1028	1992	1,2947	8,3857
30	550	1600	1097	2125	1,2947	8,3857
30	550	1700	1165	2258	1,2947	8,3857
30	550	1800	1234	2390	1,2947	8,3857
30	550	1900	1302	2523	1,2947	8,3857
30	550	2000	1371	2656	1,2947	8,3857
30	550	2100	1439	2789	1,2947	8,3857
30	550	2200	1508	2922	1,2947	8,3857
30	550	2300	1577	3054	1,2947	8,3857
30	550	2400	1645	3187	1,2947	8,3857
30	550	2500	1714	3320	1,2947	8,3857
30	550	2600	1782	3453	1,2947	8,3857
30	550	2700	1851	3586	1,2947	8,3857
30	550	2800	1919	3718	1,2947	8,3857
30	550	2900	1988	3851	1,2947	8,3857
30	550	3000	2056	3984	1,2947	8,3857
30	600	400	294	569	1,2938	9,0110
30	600	500	367	711	1,2938	9,0110
30	600	600	441	853	1,2938	9,0110
30	600	700	514	995	1,2938	9,0110
30	600	800	587	1138	1,2938	9,0110
30	600	900	661	1280	1,2938	9,0110
30	600	1000	734	1422	1,2938	9,0110
30	600	1100	808	1564	1,2938	9,0110
30	600	1200	881	1706	1,2938	9,0110
30	600	1300	955	1849	1,2938	9,0110
30	600	1400	1028	1991	1,2938	9,0110
30	600	1500	1101	2133	1,2938	9,0110
30	600	1600	1175	2275	1,2938	9,0110
30	600	1700	1248	2417	1,2938	9,0110
30	600	1800	1322	2560	1,2938	9,0110
30	600	1900	1395	2702	1,2938	9,0110
30	600	2000	1469	2844	1,2938	9,0110
30	600	2100	1542	2986	1,2938	9,0110

# Declaration of performance

No. DoP-ISG 3370-r01

30	600	2200	1615	3128	1,2938	9,0110
30	600	2300	1689	3271	1,2938	9,0110
30	600	2400	1762	3413	1,2938	9,0110
30	600	2500	1836	3555	1,2938	9,0110
30	600	2600	1909	3697	1,2938	9,0110
30	600	2700	1983	3839	1,2938	9,0110
30	600	2800	2056	3982	1,2938	9,0110
30	600	2900	2129	4124	1,2938	9,0110
30	600	3000	2203	4266	1,2938	9,0110
30	700	400	331	643	1,3003	9,9338
30	700	500	414	804	1,3003	9,9338
30	700	600	497	965	1,3003	9,9338
30	700	700	579	1126	1,3003	9,9338
30	700	800	662	1286	1,3003	9,9338
30	700	900	745	1447	1,3003	9,9338
30	700	1000	828	1608	1,3003	9,9338
30	700	1100	910	1769	1,3003	9,9338
30	700	1200	993	1930	1,3003	9,9338
30	700	1300	1076	2090	1,3003	9,9338
30	700	1400	1159	2251	1,3003	9,9338
30	700	1500	1241	2412	1,3003	9,9338
30	700	1600	1324	2573	1,3003	9,9338
30	700	1700	1407	2734	1,3003	9,9338
30	700	1800	1490	2894	1,3003	9,9338
30	700	1900	1572	3055	1,3003	9,9338
30	700	2000	1655	3216	1,3003	9,9338
30	700	2100	1738	3377	1,3003	9,9338
30	700	2200	1821	3538	1,3003	9,9338
30	700	2300	1903	3698	1,3003	9,9338
30	700	2400	1986	3859	1,3003	9,9338
30	700	2500	2069	4020	1,3003	9,9338
30	700	2600	2152	4181	1,3003	9,9338
30	700	2700	2234	4342	1,3003	9,9338
30	700	2800	2317	4502	1,3003	9,9338
30	700	2900	2400	4663	1,3003	9,9338
30	700	3000	2483	4824	1,3003	9,9338
30	900	400	404	789	1,3132	11,5888
30	900	500	504	987	1,3132	11,5888
30	900	600	605	1184	1,3132	11,5888
30	900	700	706	1381	1,3132	11,5888
30	900	800	807	1578	1,3132	11,5888
30	900	900	908	1776	1,3132	11,5888
30	900	1000	1009	1973	1,3132	11,5888
30	900	1100	1110	2170	1,3132	11,5888
30	900	1200	1211	2368	1,3132	11,5888
30	900	1300	1311	2565	1,3132	11,5888
30	900	1400	1412	2762	1,3132	11,5888
30	900	1500	1513	2960	1,3132	11,5888
30	900	1600	1614	3157	1,3132	11,5888

# Declaration of performance

No. DoP-ISG 3370-r01

30	900	1700	1715	3354	1,3132	11,5888
30	900	1800	1816	3551	1,3132	11,5888
30	900	1900	1917	3749	1,3132	11,5888
30	900	2000	2018	3946	1,3132	11,5888
30	900	2100	2118	4143	1,3132	11,5888
30	900	2200	2219	4341	1,3132	11,5888
30	900	2300	2320	4538	1,3132	11,5888
30	900	2400	2421	4735	1,3132	11,5888
30	900	2500	2522	4933	1,3132	11,5888
30	900	2600	2623	5130	1,3132	11,5888
30	900	2700	2724	5327	1,3132	11,5888
30	900	2800	2825	5524	1,3132	11,5888
30	900	2900	2925	5722	1,3132	11,5888
30	900	3000	3026	5919	1,3132	11,5888
20	300	400	128	248	1,29	3,9877
20	300	500	160	310	1,29	3,9877
20	300	600	192	372	1,29	3,9877
20	300	700	225	434	1,29	3,9877
20	300	800	257	496	1,29	3,9877
20	300	900	289	558	1,29	3,9877
20	300	1000	321	620	1,2900	3,9877
20	300	1100	353	682	1,29	3,9877
20	300	1200	385	744	1,29	3,9877
20	300	1300	417	806	1,29	3,9877
20	300	1400	449	868	1,29	3,9877
20	300	1500	481	930	1,29	3,9877
20	300	1600	513	992	1,29	3,9877
20	300	1700	545	1054	1,29	3,9877
20	300	1800	577	1116	1,29	3,9877
20	300	1900	609	1178	1,29	3,9877
20	300	2000	642	1240	1,29	3,9877
20	300	2100	674	1302	1,29	3,9877
20	300	2200	706	1364	1,29	3,9877
20	300	2300	738	1426	1,29	3,9877
20	300	2400	770	1488	1,29	3,9877
20	300	2500	802	1550	1,29	3,9877
20	300	2600	834	1612	1,29	3,9877
20	300	2700	866	1674	1,29	3,9877
20	300	2800	898	1736	1,29	3,9877
20	300	2900	930	1798	1,29	3,9877
20	300	3000	962	1860	1,29	3,9877
20	400	400	159	308	1,2975	4,8369
20	400	500	198	385	1,2975	4,8369
20	400	600	238	461	1,2975	4,8369
20	400	700	277	538	1,2975	4,8369
20	400	800	317	615	1,2975	4,8369
20	400	900	357	692	1,2975	4,8369
20	400	1000	397	769	1,2957	4,8369
20	400	1100	436	846	1,2975	4,8369

# Declaration of performance

No. DoP-ISG 3370-r01

20	400	1200	476	923	1,2975	4,8369
20	400	1300	515	1000	1,2975	4,8369
20	400	1400	555	1077	1,2975	4,8369
20	400	1500	595	1154	1,2975	4,8369
20	400	1600	634	1230	1,2975	4,8369
20	400	1700	674	1307	1,2975	4,8369
20	400	1800	713	1384	1,2975	4,8369
20	400	1900	753	1461	1,2975	4,8369
20	400	2000	793	1538	1,2975	4,8369
20	400	2100	832	1615	1,2975	4,8369
20	400	2200	872	1692	1,2975	4,8369
20	400	2300	912	1769	1,2975	4,8369
20	400	2400	951	1846	1,2975	4,8369
20	400	2500	991	1923	1,2975	4,8369
20	400	2600	1031	1999	1,2975	4,8369
20	400	2700	1070	2076	1,2975	4,8369
20	400	2800	1110	2153	1,2975	4,8369
20	400	2900	1149	2230	1,2975	4,8369
20	400	3000	1189	2307	1,2975	4,8369
20	500	400	188	365	1,3015	5,6139
20	500	500	235	457	1,3015	5,6139
20	500	600	282	548	1,3015	5,6139
20	500	700	329	639	1,3015	5,6139
20	500	800	376	730	1,3015	5,6139
20	500	900	423	822	1,3015	5,6139
20	500	1000	470	913	1,3015	5,6139
20	500	1100	517	1004	1,3015	5,6139
20	500	1200	564	1096	1,3015	5,6139
20	500	1300	610	1187	1,3015	5,6139
20	500	1400	657	1278	1,3015	5,6139
20	500	1500	704	1370	1,3015	5,6139
20	500	1600	751	1461	1,3015	5,6139
20	500	1700	798	1552	1,3015	5,6139
20	500	1800	845	1643	1,3015	5,6139
20	500	1900	892	1735	1,3015	5,6139
20	500	2000	939	1826	1,3015	5,6139
20	500	2100	986	1917	1,3015	5,6139
20	500	2200	1033	2009	1,3015	5,6139
20	500	2300	1080	2100	1,3015	5,6139
20	500	2400	1127	2191	1,3015	5,6139
20	500	2500	1174	2283	1,3015	5,6139
20	500	2600	1221	2374	1,3015	5,6139
20	500	2700	1268	2465	1,3015	5,6139
20	500	2800	1315	2556	1,3015	5,6139
20	500	2900	1362	2648	1,3015	5,6139
20	500	3000	1409	2739	1,3015	5,6139
20	600	400	216	422	1,3072	6,3379
20	600	500	270	527	1,3072	6,3379
20	600	600	324	632	1,3072	6,3379

# Declaration of performance

No. DoP-ISG 3370-r01

20	600	700	378	738	1,3072	6,3379
20	600	800	432	843	1,3072	6,3379
20	600	900	486	949	1,3072	6,3379
20	600	1000	541	1054	1,3072	6,3379
20	600	1100	595	1159	1,3072	6,3379
20	600	1200	649	1265	1,3072	6,3379
20	600	1300	703	1370	1,3072	6,3379
20	600	1400	757	1476	1,3072	6,3379
20	600	1500	811	1581	1,3072	6,3379
20	600	1600	865	1686	1,3072	6,3379
20	600	1700	919	1792	1,3072	6,3379
20	600	1800	973	1897	1,3072	6,3379
20	600	1900	1027	2003	1,3072	6,3379
20	600	2000	1081	2108	1,3072	6,3379
20	600	2100	1135	2213	1,3072	6,3379
20	600	2200	1189	2319	1,3072	6,3379
20	600	2300	1243	2424	1,3072	6,3379
20	600	2400	1297	2530	1,3072	6,3379
20	600	2500	1351	2635	1,3072	6,3379
20	600	2600	1405	2740	1,3072	6,3379
20	600	2700	1459	2846	1,3072	6,3379
20	600	2800	1514	2951	1,3072	6,3379
20	600	2900	1568	3057	1,3072	6,3379
20	600	3000	1622	3162	1,3072	6,3379
20	900	400	300	590	1,3230	8,3379
20	900	500	375	738	1,3230	8,3379
20	900	600	450	885	1,3230	8,3379
20	900	700	525	1033	1,3230	8,3379
20	900	800	600	1180	1,3230	8,3379
20	900	900	675	1328	1,3230	8,3379
20	900	1000	750	1475	1,3230	8,3379
20	900	1100	825	1623	1,3230	8,3379
20	900	1200	900	1770	1,3230	8,3379
20	900	1300	976	1918	1,3230	8,3379
20	900	1400	1051	2065	1,3230	8,3379
20	900	1500	1126	2213	1,3230	8,3379
20	900	1600	1201	2360	1,3230	8,3379
20	900	1700	1276	2508	1,3230	8,3379
20	900	1800	1351	2655	1,3230	8,3379
20	900	1900	1426	2803	1,3230	8,3379
20	900	2000	1501	2950	1,3230	8,3379
20	900	2100	1576	3098	1,3230	8,3379
20	900	2200	1651	3245	1,3230	8,3379
20	900	2300	1726	3393	1,3230	8,3379
20	900	2400	1801	3540	1,3230	8,3379
20	900	2500	1876	3688	1,3230	8,3379
20	900	2600	1951	3835	1,3230	8,3379
20	900	2700	2026	3983	1,3230	8,3379
20	900	2800	2101	4130	1,3230	8,3379



# Declaration of performance

No. DoP-ISG 3370-r01

20	900	2900	2176	4278	1,3230	8,3379
20	900	3000	2251	4425	1,3230	8,3379

Termolux						
T	H (mm)	L (mm)	Heat output dT30 (W)	Heat output dT50 (W)	n	K <sub>M</sub>
44	200	400	270	531	1,3223	7,5218
44	200	500	338	664	1,3223	7,5218
44	200	600	405	796	1,3223	7,5218
44	200	700	473	929	1,3223	7,5218
44	200	800	540	1062	1,3223	7,5218
44	200	900	608	1194	1,3223	7,5218
44	200	1000	675	1327	1,3223	7,5218
44	200	1100	743	1460	1,3223	7,5218
44	200	1200	810	1592	1,3223	7,5218
44	200	1300	878	1725	1,3223	7,5218
44	200	1400	945	1858	1,3223	7,5218
44	200	1500	1013	1991	1,3223	7,5218
44	200	1600	1081	2123	1,3223	7,5218
44	200	1700	1148	2256	1,3223	7,5218
44	200	1800	1216	2389	1,3223	7,5218
44	200	1900	1283	2521	1,3223	7,5218
44	200	2000	1351	2654	1,3223	7,5218
44	200	2100	1418	2787	1,3223	7,5218
44	200	2200	1486	2919	1,3223	7,5218
44	200	2300	1553	3052	1,3223	7,5218
44	200	2400	1621	3185	1,3223	7,5218
44	200	2500	1688	3318	1,3223	7,5218
44	200	2600	1756	3450	1,3223	7,5218
44	200	2700	1823	3583	1,3223	7,5218
44	200	2800	1891	3716	1,3223	7,5218
44	200	2900	1958	3848	1,3223	7,5218
44	200	3000	2026	3981	1,3223	7,5218
44	300	400	375	734	1,3157	10,6675
44	300	500	468	917	1,3157	10,6675
44	300	600	562	1100	1,3157	10,6675
44	300	700	656	1284	1,3157	10,6675
44	300	800	749	1467	1,3157	10,6675
44	300	900	843	1651	1,3157	10,6675
44	300	1000	937	1834	1,3157	10,6675
44	300	1100	1030	2017	1,3157	10,6675
44	300	1200	1124	2201	1,3157	10,6675
44	300	1300	1217	2384	1,3157	10,6675
44	300	1400	1311	2568	1,3157	10,6675

# Declaration of performance

No. DoP-ISG 3370-r01

44	300	1500	1405	2751	1,3157	10,6675
44	300	1600	1498	2934	1,3157	10,6675
44	300	1700	1592	3118	1,3157	10,6675
44	300	1800	1686	3301	1,3157	10,6675
44	300	1900	1779	3485	1,3157	10,6675
44	300	2000	1873	3668	1,3157	10,6675
44	300	2100	1967	3851	1,3157	10,6675
44	300	2200	2060	4035	1,3157	10,6675
44	300	2300	2154	4218	1,3157	10,6675
44	300	2400	2248	4402	1,3157	10,6675
44	300	2500	2341	4585	1,3157	10,6675
44	300	2600	2435	4768	1,3157	10,6675
44	300	2700	2529	4952	1,3157	10,6675
44	300	2800	2622	5135	1,3157	10,6675
44	300	2900	2716	5319	1,3157	10,6675
44	300	3000	2810	5502	1,3157	10,6675

Termolux Style & Termolux Plan						
T	H (mm)	L (mm)	Heat output dT30 (W)	Heat output dT50 (W)	n	K <sub>M</sub>
11	300	400	98	187	1,2725	3,2233
11	300	500	122	234	1,2725	3,2233
11	300	600	147	281	1,2725	3,2233
11	300	700	171	328	1,2725	3,2233
11	300	800	195	374	1,2725	3,2233
11	300	900	220	421	1,2725	3,2233
11	300	1000	244	468	1,2725	3,2233
11	300	1100	269	515	1,2725	3,2233
11	300	1200	293	562	1,2725	3,2233
11	300	1300	318	608	1,2725	3,2233
11	300	1400	342	655	1,2725	3,2233
11	300	1500	366	702	1,2725	3,2233
11	300	1600	391	749	1,2725	3,2233
11	300	1700	415	796	1,2725	3,2233
11	300	1800	440	842	1,2725	3,2233
11	300	1900	464	889	1,2725	3,2233
11	300	2000	489	936	1,2725	3,2233
11	300	2100	513	983	1,2725	3,2233
11	300	2200	537	1030	1,2725	3,2233
11	300	2300	562	1076	1,2725	3,2233
11	300	2400	586	1123	1,2725	3,2233
11	300	2500	611	1170	1,2725	3,2233
11	300	2600	635	1217	1,2725	3,2233
11	300	2700	660	1264	1,2725	3,2233
11	300	2800	684	1310	1,2725	3,2233

# Declaration of performance

No. DoP-ISG 3370-r01

11	300	2900	709	1357	1,2725	3,2233
11	300	3000	733	1404	1,2725	3,2233
11	400	400	125	239	1,2729	4,1123
11	400	500	156	299	1,2729	4,1123
11	400	600	187	359	1,2729	4,1123
11	400	700	218	419	1,2729	4,1123
11	400	800	250	478	1,2729	4,1123
11	400	900	281	538	1,2729	4,1123
11	400	1000	312	598	1,2729	4,1123
11	400	1100	343	658	1,2729	4,1123
11	400	1200	375	718	1,2729	4,1123
11	400	1300	406	777	1,2729	4,1123
11	400	1400	437	837	1,2729	4,1123
11	400	1500	468	897	1,2729	4,1123
11	400	1600	499	957	1,2729	4,1123
11	400	1700	531	1017	1,2729	4,1123
11	400	1800	562	1076	1,2729	4,1123
11	400	1900	593	1136	1,2729	4,1123
11	400	2000	624	1196	1,2729	4,1123
11	400	2100	655	1256	1,2729	4,1123
11	400	2200	687	1316	1,2729	4,1123
11	400	2300	718	1375	1,2729	4,1123
11	400	2400	749	1435	1,2729	4,1123
11	400	2500	780	1495	1,2729	4,1123
11	400	2600	811	1555	1,2729	4,1123
11	400	2700	843	1615	1,2729	4,1123
11	400	2800	874	1674	1,2729	4,1123
11	400	2900	905	1734	1,2729	4,1123
11	400	3000	936	1794	1,2729	4,1123
11	450	400	138	265	1,2731	4,5488
11	450	500	173	331	1,2731	4,5488
11	450	600	207	397	1,2731	4,5488
11	450	700	242	463	1,2731	4,5488
11	450	800	276	530	1,2731	4,5488
11	450	900	311	596	1,2731	4,5488
11	450	1000	345	662	1,2731	4,5488
11	450	1100	380	728	1,2731	4,5488
11	450	1200	415	794	1,2731	4,5488
11	450	1300	449	861	1,2731	4,5488
11	450	1400	484	927	1,2731	4,5488
11	450	1500	518	993	1,2731	4,5488
11	450	1600	553	1059	1,2731	4,5488
11	450	1700	587	1125	1,2731	4,5488
11	450	1800	622	1192	1,2731	4,5488
11	450	1900	656	1258	1,2731	4,5488
11	450	2000	691	1324	1,2731	4,5488
11	450	2100	726	1390	1,2731	4,5488
11	450	2200	760	1456	1,2731	4,5488
11	450	2300	795	1523	1,2731	4,5488

# Declaration of performance

No. DoP-ISG 3370-r01

11	450	2400	829	1589	1,2731	4,5488
11	450	2500	864	1655	1,2731	4,5488
11	450	2600	898	1721	1,2731	4,5488
11	450	2700	933	1787	1,2731	4,5488
11	450	2800	967	1854	1,2731	4,5488
11	450	2900	1002	1920	1,2731	4,5488
11	450	3000	1036	1986	1,2731	4,5488
11	500	400	151	290	1,2733	4,9778
11	500	500	189	363	1,2733	4,9778
11	500	600	227	435	1,2733	4,9778
11	500	700	265	508	1,2733	4,9778
11	500	800	303	580	1,2733	4,9778
11	500	900	340	653	1,2733	4,9778
11	500	1000	378	725	1,2733	4,9778
11	500	1100	416	798	1,2733	4,9778
11	500	1200	454	870	1,2733	4,9778
11	500	1300	492	943	1,2733	4,9778
11	500	1400	530	1015	1,2733	4,9778
11	500	1500	567	1088	1,2733	4,9778
11	500	1600	605	1160	1,2733	4,9778
11	500	1700	643	1233	1,2733	4,9778
11	500	1800	681	1305	1,2733	4,9778
11	500	1900	719	1378	1,2733	4,9778
11	500	2000	757	1450	1,2733	4,9778
11	500	2100	794	1523	1,2733	4,9778
11	500	2200	832	1595	1,2733	4,9778
11	500	2300	870	1668	1,2733	4,9778
11	500	2400	908	1740	1,2733	4,9778
11	500	2500	946	1813	1,2733	4,9778
11	500	2600	984	1885	1,2733	4,9778
11	500	2700	1021	1958	1,2733	4,9778
11	500	2800	1059	2030	1,2733	4,9778
11	500	2900	1097	2103	1,2733	4,9778
11	500	3000	1135	2175	1,2733	4,9778
11	550	400	164	315	1,2735	5,4061
11	550	500	206	394	1,2735	5,4061
11	550	600	247	473	1,2735	5,4061
11	550	700	288	552	1,2735	5,4061
11	550	800	329	630	1,2735	5,4061
11	550	900	370	709	1,2735	5,4061
11	550	1000	411	788	1,2735	5,4061
11	550	1100	452	867	1,2735	5,4061
11	550	1200	493	946	1,2735	5,4061
11	550	1300	534	1024	1,2735	5,4061
11	550	1400	576	1103	1,2735	5,4061
11	550	1500	617	1182	1,2735	5,4061
11	550	1600	658	1261	1,2735	5,4061
11	550	1700	699	1340	1,2735	5,4061
11	550	1800	740	1418	1,2735	5,4061

# Declaration of performance

No. DoP-ISG 3370-r01

11	550	1900	781	1497	1,2735	5,4061
11	550	2000	822	1576	1,2735	5,4061
11	550	2100	863	1655	1,2735	5,4061
11	550	2200	905	1734	1,2735	5,4061
11	550	2300	946	1812	1,2735	5,4061
11	550	2400	987	1891	1,2735	5,4061
11	550	2500	1028	1970	1,2735	5,4061
11	550	2600	1069	2049	1,2735	5,4061
11	550	2700	1110	2128	1,2735	5,4061
11	550	2800	1151	2206	1,2735	5,4061
11	550	2900	1192	2285	1,2735	5,4061
11	550	3000	1233	2364	1,2735	5,4061
11	600	400	177	340	1,2737	5,8269
11	600	500	222	425	1,2737	5,8269
11	600	600	266	510	1,2737	5,8269
11	600	700	310	595	1,2737	5,8269
11	600	800	355	680	1,2737	5,8269
11	600	900	399	765	1,2737	5,8269
11	600	1000	443	850	1,2737	5,8269
11	600	1100	488	935	1,2737	5,8269
11	600	1200	532	1020	1,2737	5,8269
11	600	1300	576	1105	1,2737	5,8269
11	600	1400	621	1190	1,2737	5,8269
11	600	1500	665	1275	1,2737	5,8269
11	600	1600	710	1360	1,2737	5,8269
11	600	1700	754	1445	1,2737	5,8269
11	600	1800	798	1530	1,2737	5,8269
11	600	1900	843	1615	1,2737	5,8269
11	600	2000	887	1700	1,2737	5,8269
11	600	2100	931	1785	1,2737	5,8269
11	600	2200	976	1870	1,2737	5,8269
11	600	2300	1020	1955	1,2737	5,8269
11	600	2400	1064	2040	1,2737	5,8269
11	600	2500	1109	2125	1,2737	5,8269
11	600	2600	1153	2210	1,2737	5,8269
11	600	2700	1197	2295	1,2737	5,8269
11	600	2800	1242	2380	1,2737	5,8269
11	600	2900	1286	2465	1,2737	5,8269
11	600	3000	1330	2550	1,2737	5,8269
11	700	400	203	390	1,2741	6,6666
11	700	500	254	487	1,2741	6,6666
11	700	600	305	584	1,2741	6,6666
11	700	700	356	682	1,2741	6,6666
11	700	800	406	779	1,2741	6,6666
11	700	900	457	877	1,2741	6,6666
11	700	1000	508	974	1,2741	6,6666
11	700	1100	559	1071	1,2741	6,6666
11	700	1200	610	1169	1,2741	6,6666
11	700	1300	660	1266	1,2741	6,6666

# Declaration of performance

No. DoP-ISG 3370-r01

11	700	1400	711	1364	1,2741	6,6666
11	700	1500	762	1461	1,2741	6,6666
11	700	1600	813	1558	1,2741	6,6666
11	700	1700	864	1656	1,2741	6,6666
11	700	1800	914	1753	1,2741	6,6666
11	700	1900	965	1851	1,2741	6,6666
11	700	2000	1016	1948	1,2741	6,6666
11	700	2100	1067	2045	1,2741	6,6666
11	700	2200	1118	2143	1,2741	6,6666
11	700	2300	1169	2240	1,2741	6,6666
11	700	2400	1219	2338	1,2741	6,6666
11	700	2500	1270	2435	1,2741	6,6666
11	700	2600	1321	2532	1,2741	6,6666
11	700	2700	1372	2630	1,2741	6,6666
11	700	2800	1423	2727	1,2741	6,6666
11	700	2900	1473	2825	1,2741	6,6666
11	700	3000	1524	2922	1,2741	6,6666
11	900	400	255	488	1,2749	8,3310
11	900	500	318	611	1,2749	8,3310
11	900	600	382	733	1,2749	8,3310
11	900	700	446	855	1,2749	8,3310
11	900	800	509	977	1,2749	8,3310
11	900	900	573	1099	1,2749	8,3310
11	900	1000	637	1221	1,2749	8,3310
11	900	1100	700	1343	1,2749	8,3310
11	900	1200	764	1465	1,2749	8,3310
11	900	1300	828	1587	1,2749	8,3310
11	900	1400	891	1709	1,2749	8,3310
11	900	1500	955	1832	1,2749	8,3310
11	900	1600	1019	1954	1,2749	8,3310
11	900	1700	1082	2076	1,2749	8,3310
11	900	1800	1146	2198	1,2749	8,3310
11	900	1900	1210	2320	1,2749	8,3310
11	900	2000	1273	2442	1,2749	8,3310
11	900	2100	1337	2564	1,2749	8,3310
11	900	2200	1401	2686	1,2749	8,3310
11	900	2300	1464	2808	1,2749	8,3310
11	900	2400	1528	2930	1,2749	8,3310
11	900	2500	1592	3053	1,2749	8,3310
11	900	2600	1655	3175	1,2749	8,3310
11	900	2700	1719	3297	1,2749	8,3310
11	900	2800	1783	3419	1,2749	8,3310
11	900	2900	1846	3541	1,2749	8,3310
11	900	3000	1910	3663	1,2749	8,3310
21	200	400	111	216	1,2975	3,3727
21	200	500	139	270	1,2975	3,3727
21	200	600	167	324	1,2975	3,3727
21	200	700	195	378	1,2975	3,3727
21	200	800	223	432	1,2975	3,3727

# Declaration of performance

No. DoP-ISG 3370-r01

21	200	900	250	486	1,2975	3,3727
21	200	1000	278	540	1,2975	3,3727
21	200	1100	306	594	1,2975	3,3727
21	200	1200	334	648	1,2975	3,3727
21	200	1300	362	702	1,2975	3,3727
21	200	1400	390	756	1,2975	3,3727
21	200	1500	417	810	1,2975	3,3727
21	200	1600	445	864	1,2975	3,3727
21	200	1700	473	918	1,2975	3,3727
21	200	1800	501	972	1,2975	3,3727
21	200	1900	529	1026	1,2975	3,3727
21	200	2000	557	1080	1,2975	3,3727
21	200	2100	584	1134	1,2975	3,3727
21	200	2200	612	1188	1,2975	3,3727
21	200	2300	640	1242	1,2975	3,3727
21	200	2400	668	1296	1,2975	3,3727
21	200	2500	696	1350	1,2975	3,3727
21	200	2600	724	1404	1,2975	3,3727
21	200	2700	751	1458	1,2975	3,3727
21	200	2800	779	1512	1,2975	3,3727
21	200	2900	807	1566	1,2975	3,3727
21	200	3000	835	1620	1,2975	3,3727
21	300	400	152	290	1,2703	5,0366
21	300	500	189	363	1,2703	5,0366
21	300	600	227	435	1,2703	5,0366
21	300	700	265	508	1,2703	5,0366
21	300	800	303	580	1,2703	5,0366
21	300	900	341	653	1,2703	5,0366
21	300	1000	379	725	1,2703	5,0366
21	300	1100	417	798	1,2703	5,0366
21	300	1200	455	870	1,2703	5,0366
21	300	1300	493	943	1,2703	5,0366
21	300	1400	530	1015	1,2703	5,0366
21	300	1500	568	1088	1,2703	5,0366
21	300	1600	606	1160	1,2703	5,0366
21	300	1700	644	1233	1,2703	5,0366
21	300	1800	682	1305	1,2703	5,0366
21	300	1900	720	1378	1,2703	5,0366
21	300	2000	758	1450	1,2703	5,0366
21	300	2100	796	1523	1,2703	5,0366
21	300	2200	834	1595	1,2703	5,0366
21	300	2300	871	1668	1,2703	5,0366
21	300	2400	909	1740	1,2703	5,0366
21	300	2500	947	1813	1,2703	5,0366
21	300	2600	985	1885	1,2703	5,0366
21	300	2700	1023	1958	1,2703	5,0366
21	300	2800	1061	2030	1,2703	5,0366
21	300	2900	1099	2103	1,2703	5,0366
21	300	3000	1137	2175	1,2703	5,0366

# Declaration of performance

No. DoP-ISG 3370-r01

21	400	400	186	357	1,2801	5,9637
21	400	500	232	446	1,2801	5,9637
21	400	600	278	535	1,2801	5,9637
21	400	700	325	624	1,2801	5,9637
21	400	800	371	714	1,2801	5,9637
21	400	900	417	803	1,2801	5,9637
21	400	1000	464	892	1,2801	5,9637
21	400	1100	510	981	1,2801	5,9637
21	400	1200	557	1070	1,2801	5,9637
21	400	1300	603	1160	1,2801	5,9637
21	400	1400	649	1249	1,2801	5,9637
21	400	1500	696	1338	1,2801	5,9637
21	400	1600	742	1427	1,2801	5,9637
21	400	1700	789	1516	1,2801	5,9637
21	400	1800	835	1606	1,2801	5,9637
21	400	1900	881	1695	1,2801	5,9637
21	400	2000	928	1784	1,2801	5,9637
21	400	2100	974	1873	1,2801	5,9637
21	400	2200	1020	1962	1,2801	5,9637
21	400	2300	1067	2052	1,2801	5,9637
21	400	2400	1113	2141	1,2801	5,9637
21	400	2500	1160	2230	1,2801	5,9637
21	400	2600	1206	2319	1,2801	5,9637
21	400	2700	1252	2408	1,2801	5,9637
21	400	2800	1299	2498	1,2801	5,9637
21	400	2900	1345	2587	1,2801	5,9637
21	400	3000	1392	2676	1,2801	5,9637
21	450	400	202	390	1,2850	6,3948
21	450	500	253	488	1,2850	6,3948
21	450	600	303	585	1,2850	6,3948
21	450	700	354	683	1,2850	6,3948
21	450	800	405	780	1,2850	6,3948
21	450	900	455	878	1,2850	6,3948
21	450	1000	506	975	1,2850	6,3948
21	450	1100	556	1073	1,2850	6,3948
21	450	1200	607	1170	1,2850	6,3948
21	450	1300	657	1268	1,2850	6,3948
21	450	1400	708	1365	1,2850	6,3948
21	450	1500	759	1463	1,2850	6,3948
21	450	1600	809	1560	1,2850	6,3948
21	450	1700	860	1658	1,2850	6,3948
21	450	1800	910	1755	1,2850	6,3948
21	450	1900	961	1853	1,2850	6,3948
21	450	2000	1011	1950	1,2850	6,3948
21	450	2100	1062	2048	1,2850	6,3948
21	450	2200	1113	2145	1,2850	6,3948
21	450	2300	1163	2243	1,2850	6,3948
21	450	2400	1214	2340	1,2850	6,3948
21	450	2500	1264	2438	1,2850	6,3948



# Declaration of performance

No. DoP-ISG 3370-r01

21	450	2600	1315	2535	1,2850	6,3948
21	450	2700	1366	2633	1,2850	6,3948
21	450	2800	1416	2730	1,2850	6,3948
21	450	2900	1467	2828	1,2850	6,3948
21	450	3000	1517	2925	1,2850	6,3948
21	500	400	219	423	1,2898	6,8037
21	500	500	273	529	1,2898	6,8037
21	500	600	328	634	1,2898	6,8037
21	500	700	383	740	1,2898	6,8037
21	500	800	438	846	1,2898	6,8037
21	500	900	492	951	1,2898	6,8037
21	500	1000	547	1057	1,2898	6,8037
21	500	1100	602	1163	1,2898	6,8037
21	500	1200	656	1268	1,2898	6,8037
21	500	1300	711	1374	1,2898	6,8037
21	500	1400	766	1480	1,2898	6,8037
21	500	1500	820	1586	1,2898	6,8037
21	500	1600	875	1691	1,2898	6,8037
21	500	1700	930	1797	1,2898	6,8037
21	500	1800	984	1903	1,2898	6,8037
21	500	1900	1039	2008	1,2898	6,8037
21	500	2000	1094	2114	1,2898	6,8037
21	500	2100	1149	2220	1,2898	6,8037
21	500	2200	1203	2325	1,2898	6,8037
21	500	2300	1258	2431	1,2898	6,8037
21	500	2400	1313	2537	1,2898	6,8037
21	500	2500	1367	2643	1,2898	6,8037
21	500	2600	1422	2748	1,2898	6,8037
21	500	2700	1477	2854	1,2898	6,8037
21	500	2800	1531	2960	1,2898	6,8037
21	500	2900	1586	3065	1,2898	6,8037
21	500	3000	1641	3171	1,2898	6,8037
21	550	400	235	456	1,2947	7,1923
21	550	500	294	570	1,2947	7,1923
21	550	600	353	683	1,2947	7,1923
21	550	700	412	797	1,2947	7,1923
21	550	800	470	911	1,2947	7,1923
21	550	900	529	1025	1,2947	7,1923
21	550	1000	588	1139	1,2947	7,1923
21	550	1100	647	1253	1,2947	7,1923
21	550	1200	705	1367	1,2947	7,1923
21	550	1300	764	1481	1,2947	7,1923
21	550	1400	823	1595	1,2947	7,1923
21	550	1500	882	1709	1,2947	7,1923
21	550	1600	941	1822	1,2947	7,1923
21	550	1700	999	1936	1,2947	7,1923
21	550	1800	1058	2050	1,2947	7,1923
21	550	1900	1117	2164	1,2947	7,1923
21	550	2000	1176	2278	1,2947	7,1923

# Declaration of performance

No. DoP-ISG 3370-r01

21	550	2100	1235	2392	1,2947	7,1923
21	550	2200	1293	2506	1,2947	7,1923
21	550	2300	1352	2620	1,2947	7,1923
21	550	2400	1411	2734	1,2947	7,1923
21	550	2500	1470	2848	1,2947	7,1923
21	550	2600	1529	2961	1,2947	7,1923
21	550	2700	1587	3075	1,2947	7,1923
21	550	2800	1646	3189	1,2947	7,1923
21	550	2900	1705	3303	1,2947	7,1923
21	550	3000	1764	3417	1,2947	7,1923
21	600	400	251	488	1,2996	7,5637
21	600	500	314	611	1,2996	7,5637
21	600	600	377	733	1,2996	7,5637
21	600	700	440	855	1,2996	7,5637
21	600	800	503	977	1,2996	7,5637
21	600	900	566	1099	1,2996	7,5637
21	600	1000	629	1221	1,2996	7,5637
21	600	1100	692	1343	1,2996	7,5637
21	600	1200	754	1465	1,2996	7,5637
21	600	1300	817	1587	1,2996	7,5637
21	600	1400	880	1709	1,2996	7,5637
21	600	1500	943	1832	1,2996	7,5637
21	600	1600	1006	1954	1,2996	7,5637
21	600	1700	1069	2076	1,2996	7,5637
21	600	1800	1132	2198	1,2996	7,5637
21	600	1900	1194	2320	1,2996	7,5637
21	600	2000	1257	2442	1,2996	7,5637
21	600	2100	1320	2564	1,2996	7,5637
21	600	2200	1383	2686	1,2996	7,5637
21	600	2300	1446	2808	1,2996	7,5637
21	600	2400	1509	2930	1,2996	7,5637
21	600	2500	1572	3053	1,2996	7,5637
21	600	2600	1634	3175	1,2996	7,5637
21	600	2700	1697	3297	1,2996	7,5637
21	600	2800	1760	3419	1,2996	7,5637
21	600	2900	1823	3541	1,2996	7,5637
21	600	3000	1886	3663	1,2996	7,5637
21	700	400	285	555	1,3066	8,3659
21	700	500	356	694	1,3066	8,3659
21	700	600	427	833	1,3066	8,3659
21	700	700	498	972	1,3066	8,3659
21	700	800	570	1110	1,3066	8,3659
21	700	900	641	1249	1,3066	8,3659
21	700	1000	712	1388	1,3066	8,3659
21	700	1100	783	1527	1,3066	8,3659
21	700	1200	854	1666	1,3066	8,3659
21	700	1300	926	1804	1,3066	8,3659
21	700	1400	997	1943	1,3066	8,3659
21	700	1500	1068	2082	1,3066	8,3659

# Declaration of performance

No. DoP-ISG 3370-r01

21	700	1600	1139	2221	1,3066	8,3659
21	700	1700	1211	2360	1,3066	8,3659
21	700	1800	1282	2498	1,3066	8,3659
21	700	1900	1353	2637	1,3066	8,3659
21	700	2000	1424	2776	1,3066	8,3659
21	700	2100	1495	2915	1,3066	8,3659
21	700	2200	1567	3054	1,3066	8,3659
21	700	2300	1638	3192	1,3066	8,3659
21	700	2400	1709	3331	1,3066	8,3659
21	700	2500	1780	3470	1,3066	8,3659
21	700	2600	1851	3609	1,3066	8,3659
21	700	2700	1923	3748	1,3066	8,3659
21	700	2800	1994	3886	1,3066	8,3659
21	700	2900	2065	4025	1,3066	8,3659
21	700	3000	2136	4164	1,3066	8,3659
21	900	400	353	692	1,3206	9,8773
21	900	500	441	866	1,3206	9,8773
21	900	600	529	1039	1,3206	9,8773
21	900	700	617	1212	1,3206	9,8773
21	900	800	705	1385	1,3206	9,8773
21	900	900	794	1558	1,3206	9,8773
21	900	1000	882	1731	1,3206	9,8773
21	900	1100	970	1904	1,3206	9,8773
21	900	1200	1058	2077	1,3206	9,8773
21	900	1300	1146	2250	1,3206	9,8773
21	900	1400	1234	2423	1,3206	9,8773
21	900	1500	1323	2597	1,3206	9,8773
21	900	1600	1411	2770	1,3206	9,8773
21	900	1700	1499	2943	1,3206	9,8773
21	900	1800	1587	3116	1,3206	9,8773
21	900	1900	1675	3289	1,3206	9,8773
21	900	2000	1763	3462	1,3206	9,8773
21	900	2100	1852	3635	1,3206	9,8773
21	900	2200	1940	3808	1,3206	9,8773
21	900	2300	2028	3981	1,3206	9,8773
21	900	2400	2116	4154	1,3206	9,8773
21	900	2500	2204	4328	1,3206	9,8773
21	900	2600	2292	4501	1,3206	9,8773
21	900	2700	2381	4674	1,3206	9,8773
21	900	2800	2469	4847	1,3206	9,8773
21	900	2900	2557	5020	1,3206	9,8773
21	900	3000	2645	5193	1,3206	9,8773
22	200	400	132	258	1,3047	3,9166
22	200	500	166	323	1,3047	3,9166
22	200	600	199	387	1,3047	3,9166
22	200	700	232	452	1,3047	3,9166
22	200	800	265	516	1,3047	3,9166
22	200	900	298	581	1,3047	3,9166
22	200	1000	331	645	1,3047	3,9166

# Declaration of performance

No. DoP-ISG 3370-r01

22	200	1100	364	710	1,3047	3,9166
22	200	1200	397	774	1,3047	3,9166
22	200	1300	431	839	1,3047	3,9166
22	200	1400	464	903	1,3047	3,9166
22	200	1500	497	968	1,3047	3,9166
22	200	1600	530	1032	1,3047	3,9166
22	200	1700	563	1097	1,3047	3,9166
22	200	1800	596	1161	1,3047	3,9166
22	200	1900	629	1226	1,3047	3,9166
22	200	2000	662	1290	1,3047	3,9166
22	200	2100	696	1355	1,3047	3,9166
22	200	2200	729	1419	1,3047	3,9166
22	200	2300	762	1484	1,3047	3,9166
22	200	2400	795	1548	1,3047	3,9166
22	200	2500	828	1613	1,3047	3,9166
22	200	2600	861	1677	1,3047	3,9166
22	200	2700	894	1742	1,3047	3,9166
22	200	2800	927	1806	1,3047	3,9166
22	200	2900	961	1871	1,3047	3,9166
22	200	3000	994	1935	1,3047	3,9166
22	300	400	189	368	1,3008	5,6662
22	300	500	236	460	1,3008	5,6662
22	300	600	284	551	1,3008	5,6662
22	300	700	331	643	1,3008	5,6662
22	300	800	378	735	1,3008	5,6662
22	300	900	426	827	1,3008	5,6662
22	300	1000	473	919	1,3008	5,6662
22	300	1100	520	1011	1,3008	5,6662
22	300	1200	567	1103	1,3008	5,6662
22	300	1300	615	1195	1,3008	5,6662
22	300	1400	662	1287	1,3008	5,6662
22	300	1500	709	1379	1,3008	5,6662
22	300	1600	757	1470	1,3008	5,6662
22	300	1700	804	1562	1,3008	5,6662
22	300	1800	851	1654	1,3008	5,6662
22	300	1900	898	1746	1,3008	5,6662
22	300	2000	946	1838	1,3008	5,6662
22	300	2100	993	1930	1,3008	5,6662
22	300	2200	1040	2022	1,3008	5,6662
22	300	2300	1088	2114	1,3008	5,6662
22	300	2400	1135	2206	1,3008	5,6662
22	300	2500	1182	2298	1,3008	5,6662
22	300	2600	1229	2389	1,3008	5,6662
22	300	2700	1277	2481	1,3008	5,6662
22	300	2800	1324	2573	1,3008	5,6662
22	300	2900	1371	2665	1,3008	5,6662
22	300	3000	1419	2757	1,3008	5,6662
22	400	400	239	466	1,312	6,8810
22	400	500	298	583	1,312	6,8810

# Declaration of performance

No. DoP-ISG 3370-r01

22	400	600	358	700	1,312	6,8810
22	400	700	418	816	1,312	6,8810
22	400	800	477	933	1,312	6,8810
22	400	900	537	1049	1,312	6,8810
22	400	1000	597	1166	1,312	6,8810
22	400	1100	656	1283	1,312	6,8810
22	400	1200	716	1399	1,312	6,8810
22	400	1300	775	1516	1,312	6,8810
22	400	1400	835	1632	1,312	6,8810
22	400	1500	895	1749	1,312	6,8810
22	400	1600	954	1866	1,312	6,8810
22	400	1700	1014	1982	1,312	6,8810
22	400	1800	1074	2099	1,312	6,8810
22	400	1900	1133	2215	1,312	6,8810
22	400	2000	1193	2332	1,312	6,8810
22	400	2100	1253	2449	1,312	6,8810
22	400	2200	1312	2565	1,312	6,8810
22	400	2300	1372	2682	1,312	6,8810
22	400	2400	1432	2798	1,312	6,8810
22	400	2500	1491	2915	1,312	6,8810
22	400	2600	1551	3032	1,312	6,8810
22	400	2700	1611	3148	1,312	6,8810
22	400	2800	1670	3265	1,312	6,8810
22	400	2900	1730	3381	1,312	6,8810
22	400	3000	1790	3498	1,312	6,8810
22	450	400	261	512	1,3176	7,3958
22	450	500	327	641	1,3176	7,3958
22	450	600	392	769	1,3176	7,3958
22	450	700	457	897	1,3176	7,3958
22	450	800	523	1025	1,3176	7,3958
22	450	900	588	1153	1,3176	7,3958
22	450	1000	653	1281	1,3176	7,3958
22	450	1100	719	1409	1,3176	7,3958
22	450	1200	784	1537	1,3176	7,3958
22	450	1300	850	1665	1,3176	7,3958
22	450	1400	915	1793	1,3176	7,3958
22	450	1500	980	1922	1,3176	7,3958
22	450	1600	1046	2050	1,3176	7,3958
22	450	1700	1111	2178	1,3176	7,3958
22	450	1800	1176	2306	1,3176	7,3958
22	450	1900	1242	2434	1,3176	7,3958
22	450	2000	1307	2562	1,3176	7,3958
22	450	2100	1372	2690	1,3176	7,3958
22	450	2200	1438	2818	1,3176	7,3958
22	450	2300	1503	2946	1,3176	7,3958
22	450	2400	1568	3074	1,3176	7,3958
22	450	2500	1634	3203	1,3176	7,3958
22	450	2600	1699	3331	1,3176	7,3958
22	450	2700	1764	3459	1,3176	7,3958

# Declaration of performance

No. DoP-ISG 3370-r01

22	450	2800	1830	3587	1,3176	7,3958
22	450	2900	1895	3715	1,3176	7,3958
22	450	3000	1960	3843	1,3176	7,3958
22	500	400	283	556	1,3232	7,8512
22	500	500	354	695	1,3232	7,8512
22	500	600	424	834	1,3232	7,8512
22	500	700	495	973	1,3232	7,8512
22	500	800	566	1112	1,3232	7,8512
22	500	900	636	1251	1,3232	7,8512
22	500	1000	707	1390	1,3232	7,8512
22	500	1100	778	1529	1,3232	7,8512
22	500	1200	848	1668	1,3232	7,8512
22	500	1300	919	1807	1,3232	7,8512
22	500	1400	990	1946	1,3232	7,8512
22	500	1500	1061	2085	1,3232	7,8512
22	500	1600	1131	2224	1,3232	7,8512
22	500	1700	1202	2363	1,3232	7,8512
22	500	1800	1273	2502	1,3232	7,8512
22	500	1900	1343	2641	1,3232	7,8512
22	500	2000	1414	2780	1,3232	7,8512
22	500	2100	1485	2919	1,3232	7,8512
22	500	2200	1556	3058	1,3232	7,8512
22	500	2300	1626	3197	1,3232	7,8512
22	500	2400	1697	3336	1,3232	7,8512
22	500	2500	1768	3475	1,3232	7,8512
22	500	2600	1838	3614	1,3232	7,8512
22	500	2700	1909	3753	1,3232	7,8512
22	500	2800	1980	3892	1,3232	7,8512
22	500	2900	2051	4031	1,3232	7,8512
22	500	3000	2121	4170	1,3232	7,8512
22	550	400	303	598	1,3288	8,2558
22	550	500	379	747	1,3288	8,2558
22	550	600	455	896	1,3288	8,2558
22	550	700	530	1046	1,3288	8,2558
22	550	800	606	1195	1,3288	8,2558
22	550	900	682	1345	1,3288	8,2558
22	550	1000	758	1494	1,3288	8,2558
22	550	1100	834	1643	1,3288	8,2558
22	550	1200	909	1793	1,3288	8,2558
22	550	1300	985	1942	1,3288	8,2558
22	550	1400	1061	2092	1,3288	8,2558
22	550	1500	1137	2241	1,3288	8,2558
22	550	1600	1212	2390	1,3288	8,2558
22	550	1700	1288	2540	1,3288	8,2558
22	550	1800	1364	2689	1,3288	8,2558
22	550	1900	1440	2839	1,3288	8,2558
22	550	2000	1516	2988	1,3288	8,2558
22	550	2100	1591	3137	1,3288	8,2558
22	550	2200	1667	3287	1,3288	8,2558

# Declaration of performance

No. DoP-ISG 3370-r01

22	550	2300	1743	3436	1,3288	8,2558
22	550	2400	1819	3586	1,3288	8,2558
22	550	2500	1895	3735	1,3288	8,2558
22	550	2600	1970	3884	1,3288	8,2558
22	550	2700	2046	4034	1,3288	8,2558
22	550	2800	2122	4183	1,3288	8,2558
22	550	2900	2198	4333	1,3288	8,2558
22	550	3000	2273	4482	1,3288	8,2558
22	600	400	322	637	1,3344	8,6067
22	600	500	403	796	1,3344	8,6067
22	600	600	483	955	1,3344	8,6067
22	600	700	564	1114	1,3344	8,6067
22	600	800	644	1274	1,3344	8,6067
22	600	900	725	1433	1,3344	8,6067
22	600	1000	805	1592	1,3344	8,6067
22	600	1100	886	1751	1,3344	8,6067
22	600	1200	966	1910	1,3344	8,6067
22	600	1300	1047	2070	1,3344	8,6067
22	600	1400	1127	2229	1,3344	8,6067
22	600	1500	1208	2388	1,3344	8,6067
22	600	1600	1288	2547	1,3344	8,6067
22	600	1700	1369	2706	1,3344	8,6067
22	600	1800	1449	2866	1,3344	8,6067
22	600	1900	1530	3025	1,3344	8,6067
22	600	2000	1610	3184	1,3344	8,6067
22	600	2100	1691	3343	1,3344	8,6067
22	600	2200	1771	3502	1,3344	8,6067
22	600	2300	1852	3662	1,3344	8,6067
22	600	2400	1932	3821	1,3344	8,6067
22	600	2500	2013	3980	1,3344	8,6067
22	600	2600	2094	4139	1,3344	8,6067
22	600	2700	2174	4298	1,3344	8,6067
22	600	2800	2255	4458	1,3344	8,6067
22	600	2900	2335	4617	1,3344	8,6067
22	600	3000	2416	4776	1,3344	8,6067
22	700	400	359	710	1,3339	9,6094
22	700	500	449	887	1,3339	9,6094
22	700	600	538	1064	1,3339	9,6094
22	700	700	628	1242	1,3339	9,6094
22	700	800	718	1419	1,3339	9,6094
22	700	900	808	1597	1,3339	9,6094
22	700	1000	897	1774	1,3339	9,6094
22	700	1100	987	1951	1,3339	9,6094
22	700	1200	1077	2129	1,3339	9,6094
22	700	1300	1167	2306	1,3339	9,6094
22	700	1400	1256	2484	1,3339	9,6094
22	700	1500	1346	2661	1,3339	9,6094
22	700	1600	1436	2838	1,3339	9,6094
22	700	1700	1526	3016	1,3339	9,6094

# Declaration of performance

No. DoP-ISG 3370-r01

22	700	1800	1615	3193	1,3339	9,6094
22	700	1900	1705	3371	1,3339	9,6094
22	700	2000	1795	3548	1,3339	9,6094
22	700	2100	1885	3725	1,3339	9,6094
22	700	2200	1974	3903	1,3339	9,6094
22	700	2300	2064	4080	1,3339	9,6094
22	700	2400	2154	4258	1,3339	9,6094
22	700	2500	2244	4435	1,3339	9,6094
22	700	2600	2333	4612	1,3339	9,6094
22	700	2700	2423	4790	1,3339	9,6094
22	700	2800	2513	4967	1,3339	9,6094
22	700	2900	2603	5145	1,3339	9,6094
22	700	3000	2692	5322	1,3339	9,6094
22	900	400	422	834	1,3329	11,3329
22	900	500	527	1042	1,3329	11,3329
22	900	600	633	1250	1,3329	11,3329
22	900	700	738	1459	1,3329	11,3329
22	900	800	844	1667	1,3329	11,3329
22	900	900	949	1876	1,3329	11,3329
22	900	1000	1055	2084	1,3329	11,3329
22	900	1100	1160	2292	1,3329	11,3329
22	900	1200	1266	2501	1,3329	11,3329
22	900	1300	1371	2709	1,3329	11,3329
22	900	1400	1477	2918	1,3329	11,3329
22	900	1500	1582	3126	1,3329	11,3329
22	900	1600	1688	3334	1,3329	11,3329
22	900	1700	1793	3543	1,3329	11,3329
22	900	1800	1899	3751	1,3329	11,3329
22	900	1900	2004	3960	1,3329	11,3329
22	900	2000	2110	4168	1,3329	11,3329
22	900	2100	2215	4376	1,3329	11,3329
22	900	2200	2321	4585	1,3329	11,3329
22	900	2300	2426	4793	1,3329	11,3329
22	900	2400	2532	5002	1,3329	11,3329
22	900	2500	2637	5210	1,3329	11,3329
22	900	2600	2743	5418	1,3329	11,3329
22	900	2700	2848	5627	1,3329	11,3329
22	900	2800	2954	5835	1,3329	11,3329
22	900	2900	3059	6044	1,3329	11,3329
22	900	3000	3165	6252	1,3329	11,3329
33	200	400	186	358	1,2820	5,9328
33	200	500	232	447	1,2820	5,9328
33	200	600	279	536	1,2820	5,9328
33	200	700	325	626	1,2820	5,9328
33	200	800	372	715	1,2820	5,9328
33	200	900	418	805	1,2820	5,9328
33	200	1000	464	894	1,2820	5,9328
33	200	1100	511	983	1,2820	5,9328
33	200	1200	557	1073	1,2820	5,9328



# Declaration of performance

No. DoP-ISG 3370-r01

33	200	1300	604	1162	1,2820	5,9328
33	200	1400	650	1252	1,2820	5,9328
33	200	1500	697	1341	1,2820	5,9328
33	200	1600	743	1430	1,2820	5,9328
33	200	1700	790	1520	1,2820	5,9328
33	200	1800	836	1609	1,2820	5,9328
33	200	1900	882	1699	1,2820	5,9328
33	200	2000	929	1788	1,2820	5,9328
33	200	2100	975	1877	1,2820	5,9328
33	200	2200	1022	1967	1,2820	5,9328
33	200	2300	1068	2056	1,2820	5,9328
33	200	2400	1115	2146	1,2820	5,9328
33	200	2500	1161	2235	1,2820	5,9328
33	200	2600	1208	2324	1,2820	5,9328
33	200	2700	1254	2414	1,2820	5,9328
33	200	2800	1300	2503	1,2820	5,9328
33	200	2900	1347	2593	1,2820	5,9328
33	200	3000	1393	2682	1,2820	5,9328
33	300	400	268	515	1,2788	8,6551
33	300	500	335	644	1,2788	8,6551
33	300	600	402	773	1,2788	8,6551
33	300	700	469	902	1,2788	8,6551
33	300	800	536	1030	1,2788	8,6551
33	300	900	603	1159	1,2788	8,6551
33	300	1000	670	1288	1,2788	8,6551
33	300	1100	737	1417	1,2788	8,6551
33	300	1200	804	1546	1,2788	8,6551
33	300	1300	871	1674	1,2788	8,6551
33	300	1400	938	1803	1,2788	8,6551
33	300	1500	1005	1932	1,2788	8,6551
33	300	1600	1072	2061	1,2788	8,6551
33	300	1700	1139	2190	1,2788	8,6551
33	300	1800	1206	2318	1,2788	8,6551
33	300	1900	1273	2447	1,2788	8,6551
33	300	2000	1340	2576	1,2788	8,6551
33	300	2100	1407	2705	1,2788	8,6551
33	300	2200	1474	2834	1,2788	8,6551
33	300	2300	1541	2962	1,2788	8,6551
33	300	2400	1609	3091	1,2788	8,6551
33	300	2500	1676	3220	1,2788	8,6551
33	300	2600	1743	3349	1,2788	8,6551
33	300	2700	1810	3478	1,2788	8,6551
33	300	2800	1877	3606	1,2788	8,6551
33	300	2900	1944	3735	1,2788	8,6551
33	300	3000	2011	3864	1,2788	8,6551
33	400	400	341	662	1,2962	10,3895
33	400	500	427	828	1,2962	10,3895
33	400	600	512	993	1,2962	10,3895
33	400	700	597	1159	1,2962	10,3895

# Declaration of performance

No. DoP-ISG 3370-r01

33	400	800	683	1324	1,2962	10,3895
33	400	900	768	1490	1,2962	10,3895
33	400	1000	854	1655	1,2962	10,3895
33	400	1100	939	1821	1,2962	10,3895
33	400	1200	1024	1986	1,2962	10,3895
33	400	1300	1110	2152	1,2962	10,3895
33	400	1400	1195	2317	1,2962	10,3895
33	400	1500	1280	2483	1,2962	10,3895
33	400	1600	1366	2648	1,2962	10,3895
33	400	1700	1451	2814	1,2962	10,3895
33	400	1800	1536	2979	1,2962	10,3895
33	400	1900	1622	3145	1,2962	10,3895
33	400	2000	1707	3310	1,2962	10,3895
33	400	2100	1792	3476	1,2962	10,3895
33	400	2200	1878	3641	1,2962	10,3895
33	400	2300	1963	3807	1,2962	10,3895
33	400	2400	2049	3972	1,2962	10,3895
33	400	2500	2134	4138	1,2962	10,3895
33	400	2600	2219	4303	1,2962	10,3895
33	400	2700	2305	4469	1,2962	10,3895
33	400	2800	2390	4634	1,2962	10,3895
33	400	2900	2475	4800	1,2962	10,3895
33	400	3000	2561	4965	1,2962	10,3895
33	450	400	375	731	1,3050	11,0872
33	450	500	469	914	1,3050	11,0872
33	450	600	563	1097	1,3050	11,0872
33	450	700	657	1280	1,3050	11,0872
33	450	800	751	1462	1,3050	11,0872
33	450	900	845	1645	1,3050	11,0872
33	450	1000	939	1828	1,3050	11,0872
33	450	1100	1032	2011	1,3050	11,0872
33	450	1200	1126	2194	1,3050	11,0872
33	450	1300	1220	2376	1,3050	11,0872
33	450	1400	1314	2559	1,3050	11,0872
33	450	1500	1408	2742	1,3050	11,0872
33	450	1600	1502	2925	1,3050	11,0872
33	450	1700	1596	3108	1,3050	11,0872
33	450	1800	1689	3290	1,3050	11,0872
33	450	1900	1783	3473	1,3050	11,0872
33	450	2000	1877	3656	1,3050	11,0872
33	450	2100	1971	3839	1,3050	11,0872
33	450	2200	2065	4022	1,3050	11,0872
33	450	2300	2159	4204	1,3050	11,0872
33	450	2400	2253	4387	1,3050	11,0872
33	450	2500	2346	4570	1,3050	11,0872
33	450	2600	2440	4753	1,3050	11,0872
33	450	2700	2534	4936	1,3050	11,0872
33	450	2800	2628	5118	1,3050	11,0872
33	450	2900	2722	5301	1,3050	11,0872

# Declaration of performance

No. DoP-ISG 3370-r01

33	450	3000	2816	5484	1,3050	11,0872
33	500	400	408	798	1,3137	11,701
33	500	500	510	998	1,3137	11,701
33	500	600	612	1198	1,3137	11,701
33	500	700	714	1397	1,3137	11,701
33	500	800	816	1597	1,3137	11,701
33	500	900	918	1796	1,3137	11,701
33	500	1000	1020	1996	1,3137	11,7010
33	500	1100	1122	2196	1,3137	11,701
33	500	1200	1224	2395	1,3137	11,701
33	500	1300	1326	2595	1,3137	11,701
33	500	1400	1428	2794	1,3137	11,701
33	500	1500	1530	2994	1,3137	11,701
33	500	1600	1632	3194	1,3137	11,701
33	500	1700	1734	3393	1,3137	11,701
33	500	1800	1836	3593	1,3137	11,701
33	500	1900	1939	3792	1,3137	11,701
33	500	2000	2041	3992	1,3137	11,701
33	500	2100	2143	4192	1,3137	11,701
33	500	2200	2245	4391	1,3137	11,701
33	500	2300	2347	4591	1,3137	11,701
33	500	2400	2449	4790	1,3137	11,701
33	500	2500	2551	4990	1,3137	11,701
33	500	2600	2653	5190	1,3137	11,701
33	500	2700	2755	5389	1,3137	11,701
33	500	2800	2857	5589	1,3137	11,701
33	500	2900	2959	5788	1,3137	11,701
33	500	3000	3061	5988	1,3137	11,701
33	550	400	439	864	1,3224	12,2330
33	550	500	549	1080	1,3224	12,2330
33	550	600	659	1295	1,3224	12,2330
33	550	700	769	1511	1,3224	12,2330
33	550	800	879	1727	1,3224	12,2330
33	550	900	989	1943	1,3224	12,2330
33	550	1000	1099	2159	1,3224	12,2330
33	550	1100	1209	2375	1,3224	12,2330
33	550	1200	1318	2591	1,3224	12,2330
33	550	1300	1428	2807	1,3224	12,2330
33	550	1400	1538	3023	1,3224	12,2330
33	550	1500	1648	3239	1,3224	12,2330
33	550	1600	1758	3454	1,3224	12,2330
33	550	1700	1868	3670	1,3224	12,2330
33	550	1800	1978	3886	1,3224	12,2330
33	550	1900	2088	4102	1,3224	12,2330
33	550	2000	2197	4318	1,3224	12,2330
33	550	2100	2307	4534	1,3224	12,2330
33	550	2200	2417	4750	1,3224	12,2330
33	550	2300	2527	4966	1,3224	12,2330
33	550	2400	2637	5182	1,3224	12,2330

# Declaration of performance

No. DoP-ISG 3370-r01

33	550	2500	2747	5398	1,3224	12,2330
33	550	2600	2857	5613	1,3224	12,2330
33	550	2700	2966	5829	1,3224	12,2330
33	550	2800	3076	6045	1,3224	12,2330
33	550	2900	3186	6261	1,3224	12,2330
33	550	3000	3296	6477	1,3224	12,2330
33	600	400	469	926	1,3311	12,6780
33	600	500	586	1158	1,3311	12,6780
33	600	600	704	1389	1,3311	12,6780
33	600	700	821	1621	1,3311	12,6780
33	600	800	938	1852	1,3311	12,6780
33	600	900	1056	2084	1,3311	12,6780
33	600	1000	1173	2315	1,3311	12,6780
33	600	1100	1290	2547	1,3311	12,6780
33	600	1200	1407	2778	1,3311	12,6780
33	600	1300	1525	3010	1,3311	12,6780
33	600	1400	1642	3241	1,3311	12,6780
33	600	1500	1759	3473	1,3311	12,6780
33	600	1600	1877	3704	1,3311	12,6780
33	600	1700	1994	3936	1,3311	12,6780
33	600	1800	2111	4167	1,3311	12,6780
33	600	1900	2228	4399	1,3311	12,6780
33	600	2000	2346	4630	1,3311	12,6780
33	600	2100	2463	4862	1,3311	12,6780
33	600	2200	2580	5093	1,3311	12,6780
33	600	2300	2698	5325	1,3311	12,6780
33	600	2400	2815	5556	1,3311	12,6780
33	600	2500	2932	5788	1,3311	12,6780
33	600	2600	3049	6019	1,3311	12,6780
33	600	2700	3167	6251	1,3311	12,6780
33	600	2800	3284	6482	1,3311	12,6780
33	600	2900	3401	6714	1,3311	12,6780
33	600	3000	3519	6945	1,3311	12,6780
33	700	400	530	1045	1,3295	14,3999
33	700	500	662	1307	1,3295	14,3999
33	700	600	795	1568	1,3295	14,3999
33	700	700	927	1829	1,3295	14,3999
33	700	800	1060	2090	1,3295	14,3999
33	700	900	1192	2352	1,3295	14,3999
33	700	1000	1325	2613	1,3295	14,3999
33	700	1100	1457	2874	1,3295	14,3999
33	700	1200	1590	3136	1,3295	14,3999
33	700	1300	1722	3397	1,3295	14,3999
33	700	1400	1855	3658	1,3295	14,3999
33	700	1500	1987	3920	1,3295	14,3999
33	700	1600	2120	4181	1,3295	14,3999
33	700	1700	2252	4442	1,3295	14,3999
33	700	1800	2385	4703	1,3295	14,3999
33	700	1900	2517	4965	1,3295	14,3999

# Declaration of performance

No. DoP-ISG 3370-r01

33	700	2000	2650	5226	1,3295	14,3999
33	700	2100	2782	5487	1,3295	14,3999
33	700	2200	2915	5749	1,3295	14,3999
33	700	2300	3047	6010	1,3295	14,3999
33	700	2400	3180	6271	1,3295	14,3999
33	700	2500	3312	6533	1,3295	14,3999
33	700	2600	3445	6794	1,3295	14,3999
33	700	2700	3577	7055	1,3295	14,3999
33	700	2800	3710	7316	1,3295	14,3999
33	700	2900	3842	7578	1,3295	14,3999
33	700	3000	3975	7839	1,3295	14,3999
33	900	400	640	1259	1,3263	17,5667
33	900	500	799	1574	1,3263	17,5667
33	900	600	959	1889	1,3263	17,5667
33	900	700	1119	2204	1,3263	17,5667
33	900	800	1279	2518	1,3263	17,5667
33	900	900	1439	2833	1,3263	17,5667
33	900	1000	1599	3148	1,3263	17,5667
33	900	1100	1759	3463	1,3263	17,5667
33	900	1200	1919	3778	1,3263	17,5667
33	900	1300	2078	4092	1,3263	17,5667
33	900	1400	2238	4407	1,3263	17,5667
33	900	1500	2398	4722	1,3263	17,5667
33	900	1600	2558	5037	1,3263	17,5667
33	900	1700	2718	5352	1,3263	17,5667
33	900	1800	2878	5666	1,3263	17,5667
33	900	1900	3038	5981	1,3263	17,5667
33	900	2000	3198	6296	1,3263	17,5667
33	900	2100	3358	6611	1,3263	17,5667
33	900	2200	3517	6926	1,3263	17,5667
33	900	2300	3677	7240	1,3263	17,5667
33	900	2400	3837	7555	1,3263	17,5667
33	900	2500	3997	7870	1,3263	17,5667
33	900	2600	4157	8185	1,3263	17,5667
33	900	2700	4317	8500	1,3263	17,5667
33	900	2800	4477	8814	1,3263	17,5667
33	900	2900	4637	9129	1,3263	17,5667
33	900	3000	4796	9444	1,3263	17,5667

Vertical						
T	H (mm)	L (mm)	Heat output dT50 (W)	Heat output dT30 (W)	n	K <sub>M</sub>
11	1600	300	647	327	1,3361	3,4746
11	1800	300	714	362	1,3320	3,8965
11	2000	300	779	395	1,3278	4,3216

# Declaration of performance

No. DoP-ISG 3370-r01

11	2200	300	841	428	1,3237	4,7410
11	2400	300	901	459	1,3196	5,1614
21	1600	300	909	462	1,3235	5,1283
21	1800	300	999	507	1,3263	5,5747
21	2000	300	1080	548	1,3292	5,9587
21	2200	300	1161	588	1,3320	6,3358
21	2400	300	1233	624	1,3348	6,6555
22	1200	300	867	441	1,3254	4,8552
22	1400	300	981	499	1,3241	5,5216
22	1600	300	1089	553	1,3276	6,0461
22	1800	300	1188	602	1,3310	6,5086
22	2000	300	1287	651	1,3344	6,9578
22	2200	300	1386	700	1,3379	7,3911
22	2400	300	1476	753	1,3175	8,5250
11	1600	400	863	436	1,3361	4,6347
11	1800	400	952	482	1,3320	5,1953
11	2000	400	1038	527	1,3278	5,7584
11	2200	400	1121	570	1,3237	6,3194
11	2400	400	1201	612	1,3196	6,8799
21	1600	400	1212	616	1,3235	6,8378
21	1800	400	1332	676	1,3263	7,4329
21	2000	400	1440	730	1,3292	7,9450
21	2200	400	1548	784	1,3320	8,4478
21	2400	400	1644	831	1,3348	8,8739
22	1200	400	1156	587	1,3254	6,4736
22	1400	400	1308	665	1,3241	7,3621
22	1600	400	1452	737	1,3276	8,0615
22	1800	400	1584	803	1,3310	8,6781
22	2000	400	1716	868	1,3344	9,2771
22	2200	400	1848	933	1,3379	9,8548
22	2400	400	1968	1004	1,3175	11,3666
11	1600	500	1079	545	1,3361	5,7947
11	1800	500	1190	603	1,3320	6,4941
11	2000	500	1298	659	1,3278	7,2008
11	2200	500	1401	712	1,3237	7,8979
11	2400	500	1501	765	1,3190	8,6187
21	1600	500	1515	771	1,3235	8,5472
21	1800	500	1665	846	1,3263	9,2912
21	2000	500	1800	913	1,3292	9,9312
21	2200	500	1935	980	1,3320	10,5597
21	2400	500	2055	1039	1,3348	11,0924
22	1200	500	1445	734	1,3254	8,0919
22	1400	500	1635	831	1,3241	9,2026
22	1600	500	1815	921	1,3276	10,0768
22	1800	500	1980	1003	1,3310	10,8477
22	2000	500	2145	1085	1,3344	11,5964
22	2200	500	2310	1166	1,3379	12,3186
22	2400	500	2460	1255	1,3175	14,2083
11	1600	600	1294	654	1,3361	6,9493
11	1800	600	1427	723	1,3320	7,7875

# Declaration of performance

No. DoP-ISG 3370-r01

11	2000	600	1557	790	1,3278	8,6377
11	2200	600	1681	855	1,3237	9,4764
11	2400	600	1801	918	1,3196	10,3170
21	1600	600	1818	925	1,3235	10,2567
21	1800	600	1998	1015	1,3263	11,1494
21	2000	600	2160	1095	1,3292	11,9174
21	2200	600	2322	1176	1,3320	12,6717
21	2400	600	2466	1247	1,3348	13,3109
22	1200	600	1733	881	1,3254	9,7047
22	1400	600	1962	998	1,3241	11,0431
22	1600	600	2178	1105	1,3276	12,0922
22	1800	600	2376	1204	1,3310	13,0172
22	2000	600	2574	1302	1,3344	13,9156
22	2200	600	2772	1400	1,3379	14,7823
22	2400	600	2952	1506	1,3175	17,0500
11	1600	700	1510	763	1,3361	8,1093
11	1800	700	1665	843	1,3320	9,0863
11	2000	700	1817	922	1,3278	10,0800
11	2200	700	1961	997	1,3237	11,0548
11	2400	700	2101	1071	1,3196	12,0355
21	1600	700	2121	1079	1,3235	11,9661
21	1800	700	2331	1184	1,3263	13,0076
21	2000	700	2520	1278	1,3292	13,9037
21	2200	700	2709	1372	1,3320	14,7836
21	2400	700	2877	1455	1,3348	15,5294
22	1200	700	2022	1027	1,3254	11,3231
22	1400	700	2289	1164	1,3241	12,8837
22	1600	700	2541	1290	1,3276	14,1076
22	1800	700	2772	1404	1,3310	15,1867
22	2000	700	3003	1519	1,3344	16,2349
22	2200	700	3234	1633	1,3379	17,2460
22	2400	700	3444	1757	1,3175	19,8916

Vertical Planar						
T	H (mm)	L (mm)	Heat output dT50 (W)	Heat output dT30 (W)	n	K <sub>M</sub>
11	1600	300	588	302	1,3051	3,5649
11	1800	300	640	329	1,3010	3,9429
11	2000	300	689	355	1,2969	4,3135
11	2200	300	736	380	1,2928	4,6822
11	2400	300	780	404	1,2887	5,0423
21	1600	300	842	432	1,3076	5,0552
21	1800	300	918	472	1,3040	5,5897
21	2000	300	981	505	1,3006	6,0533
21	2200	300	1053	543	1,2972	6,5845
21	2400	300	1119	578	1,2938	7,0909
22	1200	300	819	415	1,3286	4,5293
22	1400	300	918	467	1,3214	5,2218
22	1600	300	1026	522	1,3223	5,8157

# Declaration of performance

No. DoP-ISG 3370-r01

22	1800	300	1107	563	1,3250	6,2089
22	2000	300	1188	603	1,3277	6,5932
22	2200	300	1269	643	1,3304	6,9687
22	2400	300	1341	695	1,2854	8,7816
11	1600	400	784	403	1,3051	4,7532
11	1800	400	853	439	1,3010	5,2552
11	2000	400	919	474	1,2969	5,7534
11	2200	400	982	507	1,2928	6,2472
11	2400	400	1040	538	1,2887	6,7231
21	1600	400	1123	576	1,3076	6,7423
21	1800	400	1224	629	1,3041	7,4500
21	2000	400	1308	673	1,3006	8,0710
21	2200	400	1404	724	1,2972	8,7794
21	2400	400	1492	770	1,2938	9,4546
22	1200	400	1092	554	1,3286	6,0391
22	1400	400	1224	623	1,3214	6,9625
22	1600	400	1368	696	1,3223	7,7542
22	1800	400	1476	750	1,3250	8,2785
22	2000	400	1584	804	1,3277	8,7909
22	2200	400	1692	858	1,3304	9,2916
22	2400	400	1788	927	1,2854	11,7088
11	1600	500	980	503	1,3051	5,9416
11	1800	500	1067	549	1,3010	6,5736
11	2000	500	1149	592	1,2969	7,1933
11	2200	500	1227	634	1,2928	7,8058
11	2400	500	1301	674	1,2887	8,4104
21	1600	500	1404	720	1,3076	8,4293
21	1800	500	1530	786	1,3041	9,3125
21	2000	500	1635	841	1,3006	10,0888
21	2200	500	1755	905	1,2972	10,9742
21	2400	500	1865	963	1,2938	11,8182
22	1200	500	1365	692	1,3286	7,5489
22	1400	500	1530	779	1,3214	8,7031
22	1600	500	1710	870	1,3223	9,6928
22	1800	500	1845	938	1,3250	10,3481
22	2000	500	1980	1005	1,3277	10,9886
22	2200	500	2115	1072	1,3304	11,6145
22	2400	500	2235	1159	1,2854	14,6360
11	1600	600	1175	603	1,3051	7,1238
11	1800	600	1280	659	1,3010	7,8859
11	2000	600	1379	711	1,2969	8,6332
11	2200	600	1472	761	1,2928	9,3644
11	2400	600	1561	808	1,2887	10,0911
21	1600	600	1685	864	1,3076	10,1164
21	1800	600	1836	943	1,3041	11,1750
21	2000	600	1962	1010	1,3006	12,1065
21	2200	600	2106	1086	1,2972	13,1691
21	2400	600	2238	1156	1,2938	14,1818
22	1200	600	1638	831	1,3286	9,0586
22	1400	600	1836	935	1,3214	10,4437



# Declaration of performance

No. DoP-ISG 3370-r01

22	1600	600	2052	1044	1,3223	11,6313
22	1800	600	2214	1125	1,3250	12,4177
22	2000	600	2376	1206	1,3277	13,1863
22	2200	600	2538	1286	1,3304	13,9374
22	2400	600	2682	1391	1,2854	17,5632
11	1600	700	1371	704	1,3051	8,3121
11	1800	700	1493	768	1,3010	9,1981
11	2000	700	1609	830	1,2969	10,0731
11	2200	700	1718	888	1,2928	10,9294
11	2400	700	1821	943	1,2887	11,7719
21	1600	700	1966	1008	1,3076	11,8035
21	1800	700	2142	1100	1,3041	13,0375
21	2000	700	2289	1178	1,3006	14,1243
21	2200	700	2457	1267	1,2972	15,3639
21	2400	700	2611	1348	1,2938	16,5455
22	1200	700	1911	969	1,3286	10,5684
22	1400	700	2142	1091	1,3214	12,1843
22	1600	700	2394	1218	1,3223	13,5699
22	1800	700	2583	1313	1,3250	14,4874
22	2000	700	2772	1407	1,3277	15,3841
22	2200	700	2961	1501	1,3304	16,2603
22	2400	700	3129	1623	1,2854	20,4904

10. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9.

This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:

MICHAL GOLAS  
(name and function)

(place and date of issue)

Krakow, 04.02.2025



.....  
(signature)